

Tobacco-Related Literature on Asian Americans, Native Hawaiians, and Pacific Islanders

TOBACCO CONTROL TOPIC AREAS

Cessation

- Abdullah AS, Lam TH, Chan SS, Hedley AJ. (2006). Smoking cessation among Chinese young smokers: does gender and age difference matter and what are the predictors? *Addictive Behaviors*, 31(5), 913-21.
- Bowen S & Kurz AS. (2012). Smoking, nicotine dependence, and motives to quit in Asian American versus Caucasian college students. *Nicotine & Tobacco Research*, 14(10), 1235-1240.
- Burgess D, Fu SS, Joseph AM, Hatsukami DK, Solomon J, van Ryn M. (2008). Understanding smoking and cessation among Hmong smokers. *Journal of Health Care for the Poor and Underserved*, 19(2), 442-451.
- Centers for Disease Control and Prevention. (2005). Cigarette smoking among adults – United States, 2003. *Morbidity and Mortality Weekly Report*, 54(20), 509-513.
- Centers for Disease Control and Prevention. (2005). Tobacco use and cessation counseling – global health professionals survey pilot study, 10 countries. *Morbidity and Mortality Weekly Report*, 54(20), 505-509.
- Chen MS Jr. (2001). The status of tobacco cessation research for Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health*, 9(1), 61-5.
- Chen M S Jr., Guthrie R, Moeschberger M, Wewers ME, Anderson J, Kuun P, Nguyen H. (1993). Lessons learned and baseline data from initiating smoking cessation research with Southeast Asian adults. *Asian American and Pacific Islander Journal of Health*, 1(2), 194-214.
- Chen MS Jr., Tang H. (2007). Review of smoking cessation research among Asian Americans: the state of the research. *Nicotine & Tobacco Research*, 9(3), S485-S493.
- Fang CY, Ma GX, Miller SM, Tan Y, Su X, & Shive S. (2006). A brief smoking cessation intervention for Chinese and Korean American smokers. *Preventive Medicine*, 43(4), 321-324.
- Ferketich AK, Wewers ME, Kwong K, Louie E, Moeschberger ML, Tso A, Chen MS Jr. (2004). Smoking cessation interventions among Chinese Americans: The role of families, physicians, and the media. *Nicotine & Tobacco Research*, 6(2), 241-248.

- Fong TW & Tsuang J. (2007). Asian-Americans, addictions, and barriers to treatment. *Psychiatry* 4(11), 51-59.
- Fu SS, Burgess D, van Ryn M, Hatsukami DK, Solomon J, Joseph AM. (2007). Views on smoking cessation methods in ethnic minority communities: A qualitative investigation. *Preventive Medicine*, 44(3), 235-240.
- Garcia GM, Romero RA, Maxwell AE. (2010). Correlates of smoking cessation among Filipino immigrant men. *Journal of Immigrant and Minority Health*, 12(2), 259-62.
- Groth-Marnat G, Leslie S, Renneker M. (1996). Tobacco control in a traditional Fijian village: Indigenous methods of smoking cessation and relapse prevention. *Soc Sci Med*, 43(4), 473-477.
- Herzog TA & Pokhrel P. (2012). Ethnic differences in smoking rate, nicotine dependence, and cessation-related variables among adult smokers in Hawaii. *J Community Health*, 37(6), 1226-1233. doi: 10.1007/s10900-012-9558-8
- Hofstetter CR, Hovell MF, Irvin VL, Ayers JW, Hughes SC, Kang S. (2010). It's others, not the police: Smoking, reprimand, and fines among adults of Korean descent in California. *Health Psychology*, 29(3), 255-61.
- Jenkins CNH, MePhee SJ, Le A, Pham GQ, Ha NT, Stewart S. (1997). The effectiveness of a media-led intervention to reduce smoking among Vietnamese-American men. *American Journal of Public Health*, 87(6), 1031-1034.
- Ji M, Hofstetter CR, Hovell M, Irvin V, Song YJ, Lee J, Park H, Paik HY. (2005). Smoking cessation patterns and predictors among adult Californians of Korean descent. *Nicotine & Tobacco Research*, 7(1), 59-69.
- Kahende JW, Malarcher AM, Teplinskaya A, & Asman KJ. (2011). Quit attempt correlates among smokers by race/ethnicity. *Int J Environ Res Public Health*, 8, 3871-3888.
- Kaholokula JK, Braun KL, Santos JI, Chang HK. (2008). Culturally informed smoking cessation strategies for Native Hawaiians. *Nicotine & Tobacco Research*, 10(4), 671-681.
- Kim SS, Kim SH, Ziedonis D. (2012). Tobacco dependence treatment for Korean Americans: preliminary findings. *Journal of Immigrant and Minority Health*, 14(3), 395-404.
- Kim SS, Kwon MS, Klessig YC, Ziedonis D. (2008). Adapting tobacco dependence group therapy treatment for Korean Americans: A case report of pilot treatment program. *Journal of Groups in Addiction & Recovery*, 3(1), 93-108.
- Kim SS, Nguyen HL, Le TH. (2012). Culture and Smoking Among Vietnamese Americans in Central Massachusetts. *J Transcult Nurs*, 23(2):151-8. doi: 10.1177/1043659611434060

- Kim SS. (2008). Predictors of short-term smoking cessation among Korean American men. *Public Health Nursing, 25*(6), 516-525.
- King TK, Borrelli B, Black C, Pinto BM, Marcus BH. (1997). Minority women and tobacco: implications for smoking cessation interventions. *Annals of Behavior Medicine, 19*(3), 301-13.
- Kue J, Takahashi E, and Furrer C. (2008). Demographic differences in tobacco use & cessation resource utilization among Asian Oregonians. Asian Family Center, NPC Research. Retrieved from http://public.health.oregon.gov/PreventionWellness/TobaccoPrevention/Documents/asian_demo_differences.pdf
- Kwong K, Ferketich AK, Wewers ME, Shek A, Tsang T, Tso A. (2009). Development and evaluation of a physician-led smoking cessation intervention for low-income Chinese Americans. *The Journal of Smoking Cessation, 4*(2), 92-98.
- Lafferty CK, Heaney CA, Chen MS Jr. (1999). Assessing decisional balance for smoking cessation among Southeast Asian males in the US. *Health Education Research: Theory & Practice, 139-46*.
- Lai KQ, McPhee SJ, Jenkins C, Wong C. (2000). Applying the Quit & Win contest model in the Vietnamese community in Santa Clara County. *Tobacco Control, 9*(Suppl 2), ii56-ii59.
- Lee MT, Bracamontes J, Mosier E, Davis J, Maddock JE. (2011). Preferred smoking cessation methods for Asian or Pacific Islander household smokers who live with hospitalized children. *Hawai'i Medical Journal, 70*, 48-51.
- Leung LY. (1998). Community-based tobacco cessation programs. *Asian American and Pacific Islander Journal of Health, 6*(2), 253-254.
- Li S, Delva J. (2012). Social capital and smoking among Asian American men: an exploratory study. *Am J Public Health, 102*(Suppl 2): S212–S221.
- Ma GX, Fang C, Shive SE, Su X, Toubbeh JI, Miller S, Tan Y. (2005). A culturally enhanced smoking cessation study among Chinese and Korean smokers. *The International Electronic Journal of Health Education, 8*, 1-10.
- Ma GX, Fang CY, Knauer CA, Tan Y, Shive SE. (2006). Tobacco dependence, risk perceptions and self-efficacy among Korean American smokers. *Addictive Behaviors, 31*(10), 1776-1784.
- Ma GX, Shive SE, Tan Y, Thomas P, Man VL. (2004). Development of a culturally appropriate smoking cessation program for Chinese-American youth. *J Adolesc Health, 35*(3), 206-16.

- McPhee SJ, Jenkins CNH, Wong C, Fordham D, Ky QL, Bird JA, Moskowitz JM. (1995). Smoking cessation intervention among Vietnamese Americans: A controlled trial. *Tobacco Control*, 4(Sup 1), S16-S24.
- Mishra SI, Osann K, Luce PH. (2005). For the patient. Helping American Samoans quit smoking. *Ethnicity & Disease*, 15(2), 351-352.
- Myung SK, McDonnell DD, Kazinets G, Seo HG, Moskowitz JM. (2010). Relationships between household smoking restrictions and intention to quit smoking among Korean American male smokers in California. *J Korean Med Sci*, 25(2), 245-50.
- Nadal, K. L. (2000). F/Pilipino American substance abuse: Sociocultural factors and methods of treatment. *Journal of Alcohol and Drug Education*, 46(2), 26-36.
- Santos LA, Braun KL, Ae`a K, & Shearer L. (2008). Institutionalizing a comprehensive tobacco-cessation protocol in an indigenous health system: Lessons learned. *Prog Community Health Partnersh*, 2(4), 279–289. doi: 10.1353/cpr.0.0038
- Shelley D, Nguyen N, Peng Cha-Hui, Chin M, Chang MD, Fahs M. (2008). Increasing access to evidence-based smoking cessation treatment: Effectiveness of a free nicotine patch program among Chinese immigrants. *Journal of Immigrant and Minority Health*, 12(2), 198-205.
- Shigaki, Alison. (2008). Preferences for smoking cessation resources and support among Chinese and Vietnamese current and former smokers. (Unpublished masters thesis). University of Washington, Seattle, Washington.
- Spigner C, Yip MP, Huang B, Tu SP. (2001). Chinese and Vietnamese adult male smokers' perspectives regarding facilitators of tobacco cessation behavior. *Asian Pacific Journal of Cancer Prevention*, 8(3), 429-35.
- Takahashi E, Kue J, Kim M, and Furrer C. (2009). [Asian Oregonians' attitudes toward the Tobacco Quit Line](http://public.health.oregon.gov/PreventionWellness/TobaccoPrevention/Documents/outline.pdf). Asian Family Center and NPC Research. Retrieved from <http://public.health.oregon.gov/PreventionWellness/TobaccoPrevention/Documents/outline.pdf>
- Tong EK, Tang H, Chen MS, McPhee SJ. (2011). Provider smoking cessation advice among California Asian-American smokers. *Asian Journal of Health Promotion*, 25(5 Supplement), S70-S74.
- Trinidad DR, Pérez-Stable EJ, Messer K, White MM, Pierce JP. (2010). Menthol cigarettes and smoking cessation among racial/ethnic groups in the United States. *Addiction*, 105(Suppl 1), 84-94. doi: 10.1111/j.1360-0443.2010.03187.x
- Tsoh JY, Tong EK, Gildengorin G, Nguyen TT, Modayil MV, Wong C, McPhee SJ. (2011). Individual and family factors associated with intention to quit among male Vietnamese American

- smokers: Implications for intervention development. *Addictive Behaviors*, 36(4), 294-301.
- Tu SP, Walsh M, Tseng B, Thompson B. (2000). Tobacco use by Chinese American men: an exploratory study of the factors associated with cigarette use and smoking cessation. *Asian American and Pacific Islander Journal of Health*, 8(1), 46-57.
- Wiecha JM, Lee V, Hodgkins J. (1998). Patterns of smoking, risk factors for smoking, and smoking cessation among Vietnamese men in Massachusetts (United States). *Tobacco Control*, 7, 27-34.
- Wong CC, Tsoh JY, Tong EK, Hom FB, Cooper B, Chow EA. (2008). The Chinese Community Smoking Cessation Project: A community sensitive intervention trial. *Journal of Community Health*, 33, 363-373.
- Wu D, Ma GX, Zhou K, Zhou D, Liu A, Poon AN. (2009). The effect of a culturally tailored smoking cessation for Chinese American smokers. *Nicotine & Tobacco Research*, 11(12), 1448-57.
- Yang T, Fisher KJ, Li F, Danaher BG. (2006). Attitudes to smoking cessation and triggers to relapse among Chinese male smokers. *BMC Public Health*, 6, 65.
- Zhu SH, Anderson CM, Johnson CE, Tedeschi G, Roeseler A. (2000). A centralized telephone service for tobacco cessation: the California experience. *Tobacco Control*, 9(Suppl II), ii48-ii55.
- Zhu SH, Cummins SE, Wong S, Gamst AC, Tedeschi GJ, Reyes-Nocon J. (2012). the effects of multilingual telephone quitline for Asian smokers: A randomized controlled trial. *J Natl Cancer Inst* 104(4), 299-310.
- Zhu SH, Wong S, Stevens C, Nakashima D, Gamst A. (2010). Use of a smokers' quitline by Asian language speakers: results from 15 years of operation in California. *American Journal of Public Health*, 100(5), 846-52. doi: 10.2105/AJPH.2009.168385
- Zhu SH, Wong S, Tang H, Shi CW, Chen MS Jr. (2007). High quit ratio among Asian immigrants in California: Implications for population tobacco cessation. *Nicotine & Tobacco Research*, 9(3), S505-S514.
- Zhu SH. (1998). Tobacco control section California helpline for Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health*, 6(2), 260-261.
-

Environmental Tobacco Smoke / Secondhand Smoke

- Antin T, Lee J, Moore R, et al. (2008). Law in practice: obstacles to a smokefree workplace policy in bars serving Asian patrons. *J Immigr Minor Health*, 12(2), 221-227.
- Asian Americans for Equality. (2012). Making room to breathe: A case study of smoke-free housing in NYC. New York City, NY: Asian Americans for Equality, Inc. and NYC Coalition for a Smoke-Free City. Retrieved from http://www.nycsmokefree.org/sites/default/files/wysiwyg/docs/Citywide/smokefree_housing_case_study_final.pdf
- Ayers JW, Hofstetter CR, Hughes SC, Park H, Paik HY, Irvin VL, et al. (2010). Smoking on both sides of the Pacific: Home smoking restrictions and secondhand smoke exposure among Korean adults and children in Seoul and California. *Nicotine Tob Res*, 12(11), 1142-50.
- Brugge D, Dejong W, Hyde J, Le Q, Shih CS, Wong A, Tran A. (2002). Development of targeted message concepts for recent Asian immigrants about secondhand smoke. *J Health Commun*, 7(1), 25-37.
- Chan NL, Yasui Y, Thompson B, Taylor VM, Tu SP, Do H, Harris JR, Jackson JC. (2007). Secondhand smoke in the home and Pap testing among Vietnamese American women. *Asian Pac J Cancer Prev*, 8(2), 178-82.
- Choy LB and Maddock JE. (2005). Correlates of smoke-free policies in homes and cars among Hawaii residents. *Californian Journal of Health Promotion* 3(4), 8-20.
- Ellis JA, Gwynn C, Garg RK, Philburn R, Aldous KM, Perl SB, Thorpe L, Frieden TR. (2009). Secondhand smoke exposure among nonsmokers nationally and in New York City. *Nicotine and Tobacco Res*, 11(4), 362-370. doi: 10.1093/ntr/ntp021
- Gilpin EA, White MM, Farkas AJ, Pierce JP. (1999). Home smoking restrictions: which smokers have them and how they are associated with smoking behavior. *Nicotine & Tobacco Research*, 1(2), 153-62.
- Hughes SC, Corcos IA, Hofstetter CR, Hovell MF, Irvin VL. (2007). Environmental tobacco smoke exposure among Korean American nonsmokers in California. *Nicotine & Tobacco Research*, 10(4), 663-670.
- Hughes SC, Corcos IA, Hofstetter CR, Hovell MF, Irvin VL. (2009). Longitudinal study of household smoking ban adoption among Korean Americans. *American Journal of Preventive Medicine*, 37(5), 437-40.

- Hughes SC, Usita PM, Hovell MF, Richard Hofstetter C. (2011). Reactions to secondhand smoke by nonsmokers of Korean descent: clash of cultures? *J Immigr Minor Health*, 13(4): 766-771.
- Jee SH, Ohrr H, Kim IS. (1999). Effects of husbands' smoking on the incidence of lung cancer in Korean women. *International Journal of Epidemiology*, 28, 824-828.
- King BA, Dube SR, and Tynan MA. (2012). Secondhand smoke exposure in cars among middle and high school students – United States, 2000-2009. *Pediatrics*, 129, 446-452.
- King BA, Dube SR, Ko JY. (2011). Secondhand smoke concentrations in hospitality venues in the Pacific Basin: findings from American Samoa, Commonwealth of the Northern Mariana Islands, and Guam. *Asian Pac J Cancer Prev*, 12(11), 2881-5.
- Lee MT, Bracamontes J, Mosier E, Davis J, Maddock JE. (2011). Preferred smoking cessation methods for Asian or Pacific Islander household smokers who live with hospitalized children. *Hawai'i Medical Journal*, 70, 48-51.
- Ma GX, Poon AN, Toubbeh JI. (2008). Diffusion of Philadelphia's no-smoking policy to Chinese businesses. *Am J Health Stud*, 23(4), 162–172.
- Ma GX, Shive SE, Tan Y, Feeley RM. (2004). The impact of acculturation on smoking in Asian American homes. *J Health Care Poor Underserved*, 15(2), 267-80.
- Ma GX, Shive SE, Tan Y, Toubbeh JI, Fang CY, Edwards RL. (2005). Tobacco use, secondhand smoke exposure and their related knowledge, attitudes and behaviors among Asian Americans. *Addict Behav*, 30(4), 725-40.
- Ma GX, Tan Y, Fang CY, Toubbeh JI, Shive SE. (2005). Knowledge, attitudes and behavior regarding secondhand smoke among Asian Americans. *Prev Med*, 41(2), 446-53.
- Max W, Sung HY, Shi Y. (2012). Exposure to secondhand smoke at home and at work in California. *Public Health Rep*, 127(1), 81-88.
- Myung SK, McDonnell DD, Kazinets G, Seo HG, Moskowitz JM. (2010). Relationships between household smoking restrictions and intention to quit smoking among Korean American male smokers in California. *J Korean Med Sci*, 25(2), 245-50.
- Shelley D, Fahs MC, Yerneni R, Qu J, Burton D. (2006). Correlates of household smoking bans among Chinese Americans. *Nicotine & Tobacco Research*, 8(1), 103-12.
- Shelley D, Yerneni R, Hung D, Das D, Fahs M. (2007). The relative effect of household and workplace smoking restriction on health status among Chinese Americans living in New York City. *J Urban Health*, 84(3), 360-71.

Tong EK, Nguyen TT, Vittinghoff E, Pérez-Stable EJ. (2008). Smoking behaviors among immigrant Asian Americans: Rules for smoke-free homes. *American Journal of Preventive Medicine*, 35(1), 64-67.

Tong EK, Tang H, Tsoh J, Wong C, Chen MS. (2009). Smoke-free policies among Asian-American women: comparisons by education status. *American Journal of Preventive Medicine*, 37(2S), S144-S150.

Treiber J, Acosta-Deprez V, Kipke R, Satterlund T, Araquel C. (2012). Achieving smoke-free apartment outdoor area policies in Asian/Pacific Islander neighborhoods of central Los Angeles. *Journal of Immigrant and Minority Health*, 14(5), 895-897.

Voorhees CC, Ye C, Carter-Pokras O, MacPherson L, Kanamori M, Zhang G, Chen L, Fiedler R. (2011). Peers, tobacco advertising, and secondhand smoke exposure influences smoking initiation in diverse adolescents. *American Journal of Health Promotion*, 25(3), e1-e11.

Smokeless Tobacco and Betel Nut

Auluck A, Hislop G, Poh C, Zhang L, & Rosin MP. (2009). Areca nut and betel quid chewing among South Asian immigrants to Western countries and its implications for oral cancer screening. *Rural Remote Health*, 9(2): 1118.

Banerjee SC, Ostroff JS, Bari S, D'Agostino TA, Khera M, Acharya S, Gany F. (2013). Gutka and Tambaku Paan Use Among South Asian Immigrants: A Focus Group Study. *J Immigr Minor Health*, [Epub ahead of print]

Blank M, Deshpande L, Balster RL. (2008). Availability and characteristics of betel products in the U.S. *J Psychoactive Drugs*, 40(3), 309-313.

Carpenter JM, Syms MJ, Sniezek JC. (2005). Oral carcinoma associated with betel nut chewing in the Pacific: an impending crisis? *Pac Health Dialog*, 12(1):158-62.

Changrani J, Gany F, Cruz G, Kerr R, Katz R. (2006). Paan and Gutka Use in the United States: A Pilot Study in Bangladeshi and Indian-Gujarati Immigrants in New York City. *J Immigr Refug Stud*, 4(1): 99-110.

Changrani J, Gany F. (2005). Paan and Gutka in the United States: an emerging threat. *J Immigr Health*, 7(2): 103-8.

- Delnevo CD, Steinberg MB, Hudson SV, Ulpe R, DiPaola RS. (2011). Epidemiology of cigarette and smokeless tobacco use among South Asian immigrants in the northeastern United States. *Journal of Oncology*, 2011, 8 pages.
- Glenn BA, Surani Z, Chawla N, & Bastani R. (2009). Tobacco use among South Asians: results of a community-university collaborative study. *Ethnicity & Health*, 14(2): 131-145.
- Langly DK. (2012). Review of areca (betel) nut and tobacco use in the Pacific: A technical report. Manila, Philippines: World Health Organization, Western Pacific Region. Retrieved from http://www.wpro.who.int/tobacco/documents/201203_Betelnut/en/
- Mukherjea A, Modayil MV. (2013). Culturally specific tobacco use and South Asians in the United States: A review of the literature and promising strategies for intervention. *Health Promot Pract*, [Epub ahead of print]
- Mukherjea A, Morgan PA, Snowden LR, Ling PM & Ivey SL. (2012). Social and cultural influences on tobacco-related health disparities among South Asians in the USA. *Tobacco Control*, 21, 422-428.
- Nair U, Bartsch H, & Nair J. (2004). Alert for an epidemic of oral cancer due to use of betel quid substitutes gutkha and pan masala: a review of agents and causative mechanisms. *Mutagenesis*, 19(4), 251-262.
- Oakley E, Demaine L, Warnakulasuriya S. (2005). Areca (betel) nut chewing habit among high-school children in the Commonwealth of the Northern Mariana Islands (Micronesia). *Bulletin of the World Health Organization*, 83(9), 656-660.
- Paulino YC, Novotny R, Miller MJ, & Murphy SP. (2011). Areca (betel) nut chewing practices in Micronesian populations. *Hawaii Journal of Public Health*, 3(1), 19-29.
- Pickwell SM, Schimelpfening S, Palinkas L. (1994). 'Betelmania' - Betel quid chewing by Cambodian women in the United States and its potential health effects. *West J Med*, 160, 326-330.
- Pobutsky AM, Neri EI. (2012). Betel nut chewing in Hawai'i: Is it becoming a public health problem? Historical and Socio-Cultural Considerations. *Hawaii J Med Public Health*, 71(1), 23-26.
- Vora AR, Yeoman CM, & Hayter JP. (2000). Oral cancer: alcohol, tobacco and paan use and understanding of oral cancer risk among Asian males in Leicester. *British Dental Journal*, 188, 444-451.

Wen CP, Tsai MK, Chung WS, Hsu HL, Chang YC, Chan HT, Chiang PH, Cheng TY, Tsai SP. (2010). Cancer risks from betel quid chewing beyond oral cancer: a multiple-site carcinogen when acting with smoking. *Cancer Causes Control*, 21(9), 1427-35. doi: 10.1007/s10552-010-9570-1

Ysaol J, Chilton JI, Callaghan P. (1996). A survey of betel nut chewing in Palau. *ISLA J Micronesian Stud*, 4, 244-255.

Tobacco Education, Prevention and Control Interventions

Antin T, Lee J, Moore R, et al. (2008). Law in practice: obstacles to a smokefree workplace policy in bars serving Asian patrons. *J Immigr Minor Health*, 12(2), 221-227.

Antin TM, Moore RS, Lee JP, Satterlund TD. (2010). Law in practice: Obstacles to a smokefree workplace policy in bars serving Asian patrons. *J Immigr Minor Health*, 12(2): 221-227. doi:10.1007/s10903-008-9174-y

Asian Americans for Equality. (2012). Making room to breathe: A case study of smoke-free housing in NYC. New York City, NY: Asian Americans for Equality, Inc. and NYC Coalition for a Smoke-Free City. Retrieved from http://www.nycsmokefree.org/sites/default/files/wysiwyg/docs/Citywide/smokefree_housing_case_study_final.pdf

Battle RS, Lee JP, Antin TM. (2010). Knowledge of tobacco control policies among US Southeast Asians. *J Immigr Minor Health*, 12(2), 215-20.

Cantrell J, Hung D, Fahs MC, Shelley D. (2008). Purchasing Patterns and Smoking Behaviors after a Large Tobacco Tax Increase: A Study of Chinese Americans Living in New York City. *Public Health Rep*, 123(2), 135-146.

Chen MS Jr., Ferketich AK, Moeschberger M, Wewers ME. (2001). Preparing the "Ground War" against tobacco among Chinese Americans in New York City. *Asian American and Pacific Islander Journal of Health*, 9(1), 88-94.

Crawford MA, Balch GI, Mermelstein R; Tobacco Control Network Writing Group. (2002). Responses to tobacco control policies among youth. *Tob Control*, 11(1), 14-9.

- Ehlert MB, Gumataotao AP, Workman RL, Albright CL, David AM. (2006). Community leader support for tobacco control activities and policies on Guam. *Pac Health Dialog*, 13(2), 71-8.
- Ferketich AK, Kwong K, Shek A, Lee M. (2007). Design and evaluation of a tobacco-prevention program targeting Chinese American youth in New York City. *Nicotine & Tobacco Research*, 9(2), 249-56.
- Ferketich AK, Wewers ME, Kwong K, Louie E, Moeschberger ML, Tso A, Chen MS Jr. (2004). Smoking cessation interventions among Chinese Americans: The role of families, physicians, and the media. *Nicotine & Tobacco Research*, 6(2), 241-248.
- Glanz K, Lunde KB, Leakey T, Maddock J, Koga K, Yamauchi J, Maskarinec G, Shigaki D. (2009). Activating multi-ethnic youth for smoking prevention: Design, baseline findings, and implementation of project SPLASH. *Journal of Cancer Education*, 22(1), 56-61.
- Groth-Marnat G, Leslie S, Renneker M. (1996). Tobacco Control in a traditional Fijian village: Indigenous methods of smoking cessation and relapse prevention. *Soc Sci Med*, 43(4), 473-477.
- Hubbell FA, Luce PH, Afeaki WP, Cruz LAC, McMullin JM, Mummert A, et al. (2006). Legacy of the Pacific Islander Cancer Control Network. *Cancer*, 107(8 Suppl), 2091-8.
- Ichiho HM. (2004). Tobacco use prevention and control: implications for Native Hawaiian communities. *Pacific Health Dialog*, 11(2), 131-138.
- Islam N, Kwon SC, Ahsan H, Senie RT. (2005). New York AANCART: Using Participatory Research to Address the Health Needs of South Asian and Korean Americans in New York City. *Cancer Supplement*, 104(12), 2931-2936.
- Jenkins CNH, MePhee SJ, Le A, Pham GQ, Ha NT, Stewart S. (1997). The effectiveness of a media-led intervention to reduce smoking among Vietnamese-American men. *American Journal of Public Health*, 87(6), 1031-1034.
- Kim SS, Kim SH, Ziedonis D. (2012). Tobacco dependence treatment for Korean Americans: preliminary findings. *Journal of Immigrant and Minority Health*, 14(3):395-404.
- Kim SS, Kwon MS, Klessig YC, Ziedonis D. (2008). Adapting Tobacco Dependence Group Therapy Treatment for Korean Americans: A Case Report of Pilot Treatment Program. *Journal of Groups in Addiction & Recovery*, 3(1), 93-108.

- Kim SS, Nam KA. (2005). Korean male smokers' perceptions of tobacco control policies in the United States. *Public Health Nursing*, 22(3), 221-229.
- Kuramoto F and Nakashima J. (2000). Developing an ATOD prevention campaign for Asian and Pacific Islanders: Some considerations. *J Public Health Management Practice*, 6(3), 57-64.
- Kwong K, Ferketich AK, Wewers ME, Shek A, Tsang T, Tso A. (2009). Development and Evaluation of a Physician-Led Smoking Cessation Intervention for Low-Income Chinese Americans. *The Journal of Smoking Cessation*, 4(2), 92-98.
- Lai KQ, McPhee SJ, Jenkins C, Wong C. (2000). Applying the Quit & Win contest model in the Vietnamese community in Santa Clara County. *Tobacco Control*, 9(Suppl 2), ii56-ii59.
- Lew R, Tanjasiri SP, Singer MK and Yu JH. (2001). Using a stages of readiness model to address community capacity on tobacco control in the Asian American and Pacific Islander community. *Asian American and Pacific Islander Journal of Health*, 9(1), 66-73.
- Lew R, Tanjasiri SP. (2003). Slowing the epidemic of tobacco use among Asian Americans and Pacific Islanders. *American Journal of Public Health*, 93(5), 764-8.
- Lew R. (1998). A National Effort to Reduce Tobacco Use among Asian Americans and Pacific Islanders. *Cancer*, 83(Issue Supplement 8), 1818-1820.
- Lew R. (1998). The new paradigm for leadership in tobacco issues impacting Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health*, 6(2), 208-12.
- Lew R. (2004). APPEAL: fighting for social justice in tobacco control among Native Hawaiians and Pacific Islanders through leadership and capacity building. *Pacific Health Dialog*, 11(2), 239-242.
- Lew R. (2009). Addressing the Impact of Tobacco on Asian Americans: A Model for Change. In WB Bateman, N Abesamis-Mendoza, & H Ho-Asjoe (Eds.), *Praeger Handbook of Asian American Health: Taking Notice and Taking Action* (729-750). Santa Barbara, CA: Praeger.
- Li S, Kwon SC, Weerasinghe I, Rey MJ, Trinh-Shevrin C. (2013). Smoking among Asian Americans: Acculturation and gender in the context of tobacco control policies in New York City. *Health Promot Pract*, [Epub ahead of print]
- Liao Y, Tsoh JY, Chen R, Foo MA, Garvin CC, Grigg-Saito D, Liang S, McPhee S, Nguyen TT, Tran JH, Giles WH. (2010). Decrease in smoking prevalence in Asian communities served by

- the Racial and Ethnic Approaches to Community Health (REACH) project. *American Journal of Public Health*, 100(5), 853-60.
- Ma GX, Chu KC, Jackson FE, Tsou W; Asian Tobacco Education, Cancer Awareness and Research. (2003). The Asian Tobacco Education, Cancer Awareness and Research's role in tobacco and cancer control efforts in Asian American communities. *Asian Am Pac Isl J Health*, 10(1):25-39.
- Ma GX, Chu KC, Tsou W. (2002). Smoking prevention and intervention in Asian American communities: a case study. In: Ma GX, Henderson G, eds. *Ethnicity and Substance Abuse: Prevention and Intervention*, 169-188.
- Ma GX, Fang C, Shive SE, Su X, Toubbeh JI, Miller S, Tan Y. (2005). A culturally enhanced smoking cessation study among Chinese and Korean smokers. *The International Electronic Journal of Health Education*, 8, 1-10.
- Ma GX, Poon AN, Toubbeh JI. (2008). Diffusion of Philadelphia's no-smoking policy to Chinese businesses. *Am J Health Stud*, 23(4), 162-172.
- Ma GX, Shive SE, Tan Y, Thomas P, Man VL. (2004). Development of a culturally appropriate smoking cessation program for Chinese-American youth. *J Adolesc Health*, 35(3), 206-16.
- Ma GX, Tan Y, Toubbeh JI, Edwards RL, Shive SE, Siu P, Wang P, Fang CY. (2006). Asian Tobacco Education and Cancer Awareness Research Special Population Network: A model for reducing Asian American cancer health disparities. *Cancer*, 107(8 Suppl), 1995-2005.
- Ma GX, Toubbeh JI, Su X, Edwards RL. (2004). ATECAR: An Asian American community-based participatory research model on tobacco and cancer control. *Health Promotion and Practice*, 5(4), 382-94.
- Marshall M. (1997). Tobacco prevention in the Federated States of Micronesia. *Drug and Alcohol Review*, 16(4), 411-419. DOI: 10.1080/09595239700186811
- McPhee SJ, Jenkins CNH, Wong C, Fordham D, Ky QL, Bird JA, Moskowitz JM. (1995). Smoking cessation intervention among Vietnamese Americans: A Controlled Trial. *Tobacco Control*, 4(Sup 1), S16-S24.
- Santos LA, Braun KL, Ae`a K, & Shearer L. (2008). Institutionalizing a comprehensive tobacco-cessation protocol in an indigenous health system: lessons learned. *Prog Community Health Partnerships*, 2(4), 279-289. doi: 10.1353/cpr.0.0038

Shelley D, Fahs MC, Yerneni R, Das D, et al. (2008). Effectiveness of tobacco control among Chinese Americans: a comparative analysis of policy approaches versus community-based programs. *Prev Medicine, 47*(5), 530-536.

Shelley D, Nguyen N, Peng Cha-Hui, Chin M, Chang MD, Fahs M. (2008). Increasing access to evidence-based smoking cessation treatment: effectiveness of a free nicotine patch program among Chinese immigrants. *Journal of Immigrant and Minority Health, 12*(2), 198-205.

Shelley D, Yerneni R, Hung D, Das D, Fahs M. (2007). The relative effect of household and workplace smoking restriction on health status among Chinese Americans living in New York City. *J Urban Health, 84*(3), 360-71.

Tanjasiri SP, Lew R, Kuratani DG, Wong M, Fu L. (2011). Using Photovoice to assess and promote environmental approaches to tobacco control in AAPI communities. *Health Promot Pract, 12*(5), 654-665.

Treiber J, Acosta-Deprez V, Kipke R, Satterlund T, Araquel C. (2012). achieving smoke-free apartment outdoor area policies in Asian/Pacific Islander neighborhoods of Central Los Angeles. *Journal of Immigrant and Minority Health, 14*(5), 895-897 .

Wong CC, Tsoh JY, Tong EK, Hom FB, Cooper B, Chow EA. (2008). The Chinese Community Smoking Cessation Project: A community sensitive intervention trial. *Journal of Community Health, 33*, 363-373.

Wu D, Ma GX, Zhou K, Zhou D, Liu A, Poon AN. (2009). The effect of a culturally tailored smoking cessation for Chinese American smokers. *Nicotine & Tobacco Research, 11*(12), 1448-57.

Tobacco Industry

Acevedo-Garcia D, Barbeau E, Bishop JA, Pan J, Emmons KM. (2004). Undoing an Epidemiological Paradox: The Tobacco Industry's Targeting of US Immigrants. *Am J Public Health, 94*(12), 2188-2193.

Chen X, Cruz TB, Schuster DV, Unger JB, Johnson CA. (2002). Receptivity to pro-tobacco media and its impact on cigarette smoking among ethnic minority youth in California. *Journal of Health Communications, 7*(2), 95-111.

- Feighery E, Borzekowski DLG, Schooler C, Flora J. (1998). Seeing, wanting, owning: The relationship between receptivity to tobacco marketing and smoking susceptibility in young people. *Tobacco Control*, 7(2), 123-128.
- Fellows KL and Rubin DL. 2006. Identities for sale: how the tobacco industry construed Asians, Asian Americans, and Pacific Islanders. *Journal of Intercultural Communication Research* 35(3), 265-292.
- Glanz K, Sutton NM, Jacob Arriola KR. (2006). Operation Storefront Hawaii: tobacco advertising and promotion in Hawaii stores. *Journal of Health Communication*, 11, 699-707.
- Islam N, Kwon SC, Ahsan H, Senie RT. (2005). New York AANCART: Using participatory research to address the health needs of South Asian and Korean Americans in New York City. *Cancer Supplement*, 104(12), 2931-2936.
- Landrine H, Corral I, Klonoff EA, Jensen J, Kashima K, Hickman N, Martinez J. (2010). Ethnic disparities in youth access to tobacco: California statewide results, 1999-2003. *Health Promotion Practice*, 11(1), 132-139.
- Muggli ME, Pollay RW, Lew R, Joseph AM. (2002). Targeting of Asian Americans and Pacific Islanders by the tobacco industry: results from the Minnesota Tobacco Document Depository. *Tobacco Control*, 11, 201-209.
- Stoddard JL, Johnson CA, Sussman S, Dent C, Boley-Cruz T. (1998). Tailoring outdoor tobacco advertising to minorities in Los Angeles County. *J Health Commun*, 3(2), 137-46.
- Tanjasiri SP, Lew R, Kuratani DG, Wong M, Fu L. (2011). Using Photovoice to assess and promote environmental approaches to tobacco control in AAPI communities. *Health Promot Pract*, 12(5), 654-665.
- Voorhees CC, Ye C, Carter-Pokras O, MacPherson L, Kanamori M, Zhang G, Chen L, Fiedler R. (2011). Peers, tobacco advertising, and secondhand smoke exposure influences smoking initiation in diverse adolescents. *American Journal of Health Promotion*, 25(3), e1-e11.
- West JH, Romero RA, Trinidad DR. (2007). Adolescent receptivity to tobacco marketing by racial/ethnic groups in California. *American Journal of Preventive Medicine*, 33(2), 121-123.
- Widome R, Brock B, Forster JL. (2013). The relationship of neighborhood demographic characteristics to point-of-sale tobacco advertising and marketing. *Ethn Health*, 18(2), 136-51.
- Willey MB, Young RL, Elder JP, de Moor C, Wolf KR, Fiske KE, Sharp E. (1992). Cigarette point-of-sale advertising in ethnic neighborhoods in San Diego, California. *Health Values*, 16(1), 23-28.

Youth and Young Adults

- Abdullah AS, Lam TH, Chan SS, Hedley AJ. (2006). Smoking cessation among Chinese young smokers: does gender and age difference matter and what are the predictors? *Addictive Behaviors*, 31(5), 913-21.
- Appleyard J, Messeri P, Haviland ML. (2001). Smoking among Asian-American and Hawaiian/Pacific Islander Youth: Data from the 2000 National Youth Tobacco Survey. *Asian American and Pacific Islander Journal of Health*, 9(1), 5-14.
- Bhattacharya G. (1998). Drug use among Asian-Indian adolescents: identifying protective/risk factors. *Adolescence*, 33(129), 169-184.
- Bowen S, Kurz AS. (2012). Smoking, Nicotine Dependence, and Motives to Quit in Asian American Versus Caucasian College Students. *Nicotine Tobacco Research*, 14(10), 1235-1240.
- Caraballo RS, Yee SL, Gfroerer JC, Pechacek TF, Henson R. (2006). Tobacco use among racial and ethnic population subgroups of adolescents in the United States. *Prev Chronic Dis*, 3(2). Retrieved from http://www.cdc.gov/pcd/issues/2006/apr/05_0102.htm.
- Chen T, Ou AC, Haberle H, Miller VP, Langidrik JR, & Palafox NA. (2004). Smoking rates and risk factors among youth in the Republic of the Marshall Islands: Results of a school survey. *Pacific Health Dialog*, 11(2): 107-113.
- Chen X, Cruz TB, Schuster DV, Unger JB, Johnson CA. (2002). Receptivity to pro-tobacco media and its impact on cigarette smoking among ethnic minority youth in California. *Journal of Health Communications*, 7(2), 95-111.
- Chen X, Unger JB, Cruz TB, et al. (1999). Smoking patterns of Asian American youth in California and their relationship with acculturation. *J Adol Health*, 24, 321-8.
- Chen X, Unger JB, Johnson C. (1999). Is acculturation a risk factor for early smoking initiation among Chinese American minors? A comparative perspective. *Tob Control*, 8(4), 402-10.
- Chen X, Unger JB. (1999). Hazards of smoking initiation among Asian American and non-Asian adolescents in California: A survival model analysis. *Prev Med*, 28, 589-99.
- Commonwealth of Northern Mariana Islands Youth Tobacco Survey (YTS) Fact Sheet. (2000). Retrieved February 24, 2003, from <http://www.cdc.gov/>.
- Crawford MA, Balch GI, Mermelstein R, Tobacco Control Network Writing Group. (2002). Responses to tobacco control policies among youth. *Tob Control*, 11(1), 14-9.

- Edwards C, Giroux D, Okamoto SK. (2010). A review of the literature on Native Hawaiian youth and drug use: Implications for research and practice. *J Ethn Subst Abuse*, 9(3), 153–172. doi:10.1080/15332640.2010.500580
- Else IRN, Goebert DA, Nishimura ST, Braun KL. (2008). Smoking is the least of our problems: focus group findings from Native Hawaiian youth. *Hūlili: Multidisciplinary Research on Hawaiian Well-Being*, 5, 287-314.
- Else IRN, Hishinuma ES, Goebert DA, Nishimura ST, Baker S. (2008). Predicting cigarette use among Hawai'i Adolescents. *School Psychology International*, 29(2), 230-247.
- Feighery E, Borzekowski DLG, Schooler C, Flora J. (1998). Seeing, wanting, owning: The relationship between receptivity to tobacco marketing and smoking susceptibility in young people. *Tobacco Control*, 7(2), 123-128.
- Ferketich AK, Kwong K, Shek A, Lee M. (2007). Design and evaluation of a tobacco-prevention program targeting Chinese American youth in New York City. *Nicotine & Tobacco Research*, 9(2), 249-56.
- Glanz K, Lunde KB, Leakey T, Maddock J, Koga K, Yamauchi J, Maskarinec G, Shigaki D. (2009). Activating multi-ethnic youth for smoking prevention: Design, baseline findings, and implementation of project SPLASH. *Journal of Cancer Education*, 22(1), 56-61.
- Glanz K, Maskarinec G, and Carlin L. (2005). Ethnicity, sense of coherence, and tobacco use among adolescents. *Ann Behav Med*, 29(3), 192–199.
- Glanz K, Mau M, Steffen A, Maskarinec G, Arriola KJ. (2007). Tobacco use among Native Hawaiian middle school students its prevalence, correlates and implications. *Ethnic Health*, 12(3), 227-44.
- Glanz K, Sutton NM, Jacob Arriola KR. (2006). Operation Storefront Hawaii: Tobacco advertising and promotion in Hawaii stores. *Journal of Health Communication*, 11, 699-707.
- Grunbaum J, Lowry R. (2000). Prevalence of health risk behaviors among Asian American/Pacific Islander high school students. *J Adol Health*, 27, 322-30.
- Hansen L, Whipps VR, Lyman A. (2001). The Palau Youth Tobacco Survey Report. Tobacco Use Prevention and Control Program, Palau Ministry of Health. Retrieved from <http://www.who.int/tobacco/surveillance/Palau%202001%20YTS%20-%20Final%20Report.pdf>
- Hishinuma ES, Else IRN, Chang JY, Goebert DA, et al. (2006). Substance use as a robust correlate of school outcome measures for ethnically diverse adolescents of Asian/Pacific Islander ancestry. *School Psychology Quarterly*, 21(3), 286-322.

- Hong BM. (2001). Asian American and Pacific Islander adolescent cigarette smoking: A review. In National Cancer Institute (U.S.), *Changing adolescent smoking prevalence : where it is and why* (243-254). Bethesda, MD: U.S. Dept. of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute.
- Hsia FN, Sprujit-Metz D. (2003). The meanings of smoking among Chinese American and Taiwanese American college students. *Nicotine & Tobacco Research*, 5(6), 837-50.
- Ichiho HM. (2004). Tobacco use prevention and control: implications for Native Hawaiian communities. *Pacific Health Dialog*, 11(2), 131-138.
- Islam N, Kwon SC, Ahsan H, Senie RT. (2005). New York AANCART: using participatory research to address the health needs of South Asian and Korean Americans in New York City. *Cancer Supplement*, 104(12), 2931-2936.
- Kaplan CP, Nguyen TT, Weinberg V. (2008). Longitudinal study of smoking progression in Chinese and Vietnamese American adolescents. *Asian Pacific J Cancer Prev*, 9, 335-342.
- Katsuyama, RM. (2004). Report on the Asian American Youth Against Tobacco (AAYAT) Youth Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Kershaw JM. (2001). AAPI youth tobacco use: a comparative analysis of current cigarette use data from Florida, Texas, and National Youth Tobacco Surveys. *Asian American and Pacific Islander Journal of Health*, 9(1), 22-31.
- Landrine H, Corral I, Klonoff EA, Jensen J, Kashima K, Hickman N, Martinez J. (2010). Ethnic disparities in youth access to tobacco: California statewide results, 1999-2003. *Health Promot Pract*, 11(1), 132-139.
- Lee JP, Battle RS, Lipton R, Soller B. (2010). 'Smoking': use of cigarettes, cigars and blunts among Southeast Asian American youth and young adults. *Health Educ Res*, 25(1), 83-96.
- Lee JP, Lipperman-Kreda S, Saephan S, Kirkpatrick S. (2013). Tobacco environment for Southeast Asian American youth: Results from a participatory research project. *J Ethn Subst Abuse*, 12(1), 30-50.
- Lippe J, Brener N, Kann L, Kinchen S, Harris WA, McManus T, Speicher N. (2008). Youth Risk Behavior Surveillance --- Pacific Island United States Territories, 2007. *MMWR*, 57(SS12), 28-56.
- Ma GX, Shive SE, Tan Y, Thomas P, Man VL. (2004). Development of a culturally appropriate smoking cessation program for Chinese-American youth. *J Adolesc Health*, 35(3), 206-16.

- Mermelstein R. (1999). Explanations of ethnic and gender differences in youth smoking: a multi-site, qualitative investigation. The Tobacco Control Network Writing Group. *Nicotine Tob Res*, 1(Suppl 1), S91-98.
- Myers MG, Doran NM, Trinidad DR, Wall TL, Klonoff EA. (2009). A prospective study of cigarette smoking initiation during college: Chinese and Korean American students. *Health Psychol*, 28(4), 448-56.
- Oakley E, Demaine L, Warnakulasuriya S. (2005). Areca (betel) nut chewing habit among high-school children in the Commonwealth of the Northern Mariana Islands (Micronesia). *Bulletin of the World Health Organization*, 83(9), 656-660.
- Otsuki M, Tinsley BJ, Chao RK, Unger JB. (2008). An ecological perspective on smoking among Asian American college students: the roles of social smoking and smoking motives. *Psychol Addict Behav*, 22(4), 514-23.
- Otsuki M. (2009). Social connectedness and smoking behaviors among Asian American college students: An electronic diary study. *Nicotine & Tobacco Research*, 11(4), 418-426.
- Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent prevention and treatment needs assessment – Chinese student results. *Hawaii Department of Health*.
- Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent prevention and treatment needs assessment – Filipino student results. *Hawaii Department of Health*.
- Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent prevention and treatment needs assessment – Native Hawaiian student results. *Hawaii Department of Health*.
- Report on the Asian American Youth Against Tobacco (AAYAT) Youth Tobacco Survey. (2004). Retrieved December 6, 2004, from www.aayat.org/report.html.
- Rosario-Sim MG, O'Connell KA. (2009). Depression and language acculturation correlate with smoking among older Asian American adolescents in New York City. *Public Health Nurs*, 26(6), 532-42. doi: 10.1111/j.1525-1446.2009.00811.x
- Spigner C, Gran-O'Donnell S. (2001). Establishing baseline information on cigarette smoking behavior from ethnic-specific groups of Asian American and Pacific Islander youth in Seattle, Washington, 1996-1998. *Asian American and Pacific Islander Journal of Health*, 9(1), 34-9.
- Tanjasiri SP, Lew R, Kuratani DG, Wong M, Fu L. (2011). Using Photovoice to assess and promote environmental approaches to tobacco control in AAPI communities. *Health Promot Pract*, 12(5), 654-665.

- Trinidad DR, Gilpin EA, Lee L, Pierce JP. (2004). Do the majority of Asian-American and African-American smokers start as adults? *American Journal of Preventive Medicine*, 26(2), 156-8.
- Voorhees CC, Ye C, Carter-Pokras O, MacPherson L, Kanamori M, Zhang G, Chen L, Fiedler R. (2011). Peers, tobacco advertising, and secondhand smoke exposure influences smoking initiation in diverse adolescents. *American Journal of Health Promotion*, 25(3), e1-e11.
- Wallace JM Jr., Bachman JG, O'Malley PM, Johnston LD, Schulenberg JE, Cooper SM. (2002). Tobacco, alcohol, and illicit drug use: racial and ethnic differences among U.S. high school seniors, 1976-2000. *Public Health Rep*, 117(Suppl 1): S67-S75.
- Weiss JW, Garbanati JA, Tanjasiri SP, Xie B, Palmer PH. (2006). Effects of family functioning and self-image on adolescent smoking initiation among Asian-American subgroups. *J Adolesc Health*, 39(2), 221-8.
- West JH, Romero RA, Trinidad DR. (2007). Adolescent receptivity to tobacco marketing by racial/ethnic groups in California. *American Journal of Preventive Medicine*, 33(2), 121-123.
- Wiecha JM. (1996). Differences in patterns of tobacco use in Vietnamese, African-American, Hispanic, and Caucasian adolescents in Worcester, Massachusetts. *American Journal of Preventive Medicine*, 12(1), 29-37.
- Wong M, Klinge RS, Price RK. (2004). Alcohol, tobacco, and other drug use among Asian American and Pacific Islander adolescents in California and Hawaii. *Addictive Behaviors*, 29, 127-141.
- Yang F, Cheng WJ, Ho MH, Pook H. (2013). Psychosocial correlates of cigarette smoking among Asian American and Pacific Islander adolescents. *Addictive Behaviors*, 38(4), 1890-1893.
- Yu M, Hahn HC, Vaughn MG. (2010). Intrapersonal and interpersonal determinants of smoking status among Asian American adolescents: finds from a national sample. *Nicotine & Tobacco Research*, 12(8), 801-9.

ETHNIC GROUP

Asian American, Native Hawaiian, and Pacific Islander Tobacco Use

- Acevedo-Garcia D, Pan J, Jun H, et al. (2005). The effect of immigrant generation on smoking. *Soc Sci Med*, 61(6), 1223-42.
- Aczon-Armstrong M, Inouye J, Reyes-Salvail F. (2013). Depression and chronic illness: Asian/Pacific Islander adults in Hawaii. *Issues in Mental Health Nursing*, 34(3), 169-179, doi:10.3109/01612840.2012.738356
- An N, Cochran SD, Mays VM, McCarthy WJ. (2008). Influence of American acculturation on cigarette smoking behaviors among Asian American subpopulations in California. *Nicotine & Tobacco Research*, 10(4), 579-87.
- Baluja K, Park J, Myers D. (2003). Inclusion of immigrant status in smoking prevalence statistics. *American Journal of Public Health*, 93(4), 642-6.
- Bowen S & Kurz AS. (2012). Smoking, nicotine dependence, and motives to quit in Asian American versus Caucasian college students. *Nicotine & Tobacco Research*, 14(10), 1235-1240.
- Caraballo RS and Asman K. (2011). Epidemiology of menthol cigarette use in the United States. *Tobacco Induced Diseases*, 9(Suppl 1), S1.
<http://www.tobaccoinduceddiseases.com/content/9/S1/S1>
- Caraballo RS, Yee SL, Gfroerer J, Mizra SA. (2008). Adult tobacco use among racial and ethnic groups living in the United States, 2002-2005. *Prev Chronic Dis*, 5(3),
http://www.cdc.gov/pcd/issues/2008/jul/07_0116.htm.
- Caraballo RS, Yee SL, Gfroerer JC, Pechacek TF, Henson R. (2006). Tobacco use among racial and ethnic population subgroups of adolescents in the United States. *Prev Chronic Dis*, 3(2),
http://www.cdc.gov/pcd/issues/2006/apr/05_0102.htm, accessed February 25, 2013.
- Chae DH, Gavin AR, Takeuchi DT. (2006). Smoking prevalence among Asian Americans: Findings from the National Latino and Asian American Study (NLAAS). *Public Health Rep*, 121(6), 755-763.
- Chae DH, Takeuchi DT, Barbeau EM, Bennett GG, Lindsey J, Krieger N. (2008). Unfair treatment, racial/ethnic discrimination, ethnic identification, and smoking among Asian Americans in the National Latino and Asian American Study. *American Journal of Public Health*, 98, 485-492.
- Chen MS Jr. (2001). The status of tobacco cessation research for Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health*, 9(1), 61-5.

- Choi S, Rankin S, Stewart A, Oka R. (2008). Effects of acculturation on smoking behavior in Asian Americans: a meta-analysis. *Journal of Cardiovascular Nursing*, 23(1), 67-73.
- De Castro AB, Garcia G, Gee GC, Tsai JHC, Rue T, Takeuchi DT. (2010). Smoking and the Asian American workforce in the National Latino and Asian American Study. *American Journal of Industrial Medicine*, 53, 171-178.
- Fong TW & Tsuang J. (2007). Asian-Americans, addictions, and barriers to treatment. *Psychiatry* 4(11), 51-59.
- Gilpin EA, White MM, Farkas AJ, Pierce JP. (1999). Home smoking restrictions: which smokers have them and how they are associated with smoking behavior. *Nicotine & Tobacco Research*, 1(2), 153-62.
- Glanz K, Maskarinec G, and Carlin L. (2005). Ethnicity, sense of coherence, and tobacco use among adolescents. *Ann Behav Med*, 29(3), 192-199.
- Grunbaum J, Lowry R. (2000). Prevalence of health risk behaviors among Asian American/Pacific Islander high school students. *J Adol Health*, 27, 322-30.
- Guam State Epidemiological Outcomes Workgroup. (2012). Prevention briefs. Tamuning, Guam: Health Partners. Retrieved from <http://www.guamhealthpartners.com/products.html>
- Haiman, CA, Stram DO, Wilkens LR, Pike MC, Kolonel LN, Henderson BE, Le Marchand L. (2006). Ethnic and racial differences in the smoking-related risk of lung cancer. *New England Journal of Medicine*, 354(4), 333-342.
- Herzog TA & Pokhrel P. (2012). Ethnic differences in smoking rate, nicotine dependence, and cessation-related variables among adult smokers in Hawaii. *J Community Health*, 37(6), 1226-1233. doi: 10.1007/s10900-012-9558-8
- Hishinuma ES, Else IRN, Chang JY, Goebert DA, et al. (2006). Substance use as a robust correlate of school outcome measures for ethnically diverse adolescents of Asian/Pacific Islander ancestry. *School Psychology Quarterly*, 21(3), 286-322.
- Hong BM. (2001). Asian American and Pacific Islander adolescent cigarette smoking: A review. In National Cancer Institute (U.S.), *Changing adolescent smoking prevalence: where it is and why* (243-254). Bethesda, MD: U.S. Dept. of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute.
- Kahende JW, Malarcher AM, Teplinskaya A, & Asman KJ. (2011). Quit attempt correlates among smokers by race/ethnicity. *Int. J. Environ. Res. Public Health*, 8, 3871-3888.
- Kaholokula JK, Braun KL, Kana'iaupuni SK, Grandinetti A, Chang HK. (2006). Ethnic-by-gender differences in cigarette smoking among Asian and Pacific Islanders. *Nicotine & Tobacco Research*, 8(2), 275-286.

- Kandula NR, Wen M, Jacobs EA, Lauderdale DS. (2009). Association between neighborhood context and smoking prevalence among Asian Americans. *American Journal of Public Health, 99*(5), 885-892.
- Kaplan CP, Nguyen TT, Weinberg V. (2008). Longitudinal study of smoking progression in Chinese and Vietnamese American adolescents. *Asian Pacific J Cancer Prev, 9*, 335-342.
- Katsuyama, RM. (2004). Report on the Asian American Youth Against Tobacco (AAYAT) Youth Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Katsuyama, RM. (2005). Report on the Asian American Youth Against Tobacco (AAYAT) Adult Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Kershaw JM. (2001). AAPI youth tobacco use: a comparative analysis of current cigarette use data from Florida, Texas, and National Youth Tobacco Surveys. *Asian American and Pacific Islander Journal of Health, 9*(1), 22-31.
- Kim SS, Ziedonis D, Chen KW. (2007). Tobacco use and dependence in Asian Americans: a review of the literature. *Nicotine & Tobacco Research, 9*(2), 169-84.
- King TK, Borrelli B, Black C, Pinto BM, Marcus BH. (1997). Minority women and tobacco: implications for smoking cessation interventions. *Annals of Behavior Medicine, 19*(3), 301-13.
- Kue J, Takahashi E, and Furrer, C. (2008). Demographic differences in tobacco use & cessation resource utilization among Asian Oregonians. Asian Family Center, NPC Research. Retrieved from http://public.health.oregon.gov/PreventionWellness/TobaccoPrevention/Documents/asian_demo_differences.pdf
- Legacy. (2010). Asian Americans and Smoking Fact Sheet. Retrieved from www.legacyforhealth.org.
- Leistikow BN, Chen M, Tsodikov A. (2006). Tobacco smoke overload and ethnic, state, gender, and temporal cancer mortality disparities in Asian-Americans and Pacific Islander-Americans. *Prev Med, 42*(6), 430-434.
- Lew R, Martinez J, Soto C, Baezconde-Garbanati L. (2011). Training leaders from priority populations to implement social norm changes in tobacco control: lessons from the LAAMPP Institute. *Health Promotion Practice, 12*(6 Supplement 2), 195S-8S.
- Lew R, Tanjasiri SP, Singer MK and Yu JH. (2001). Using a stages of readiness model to address community capacity on tobacco control in the Asian American and Pacific Islander community. *Asian American and Pacific Islander Journal of Health, 9*(1), 66-73.

- Lew R, Tanjasiri SP. (2003). Slowing the epidemic of tobacco use among Asian Americans and Pacific Islanders. *American Journal of Public Health, 93*(5),764-8.
- Lew R. (1998). A National Effort to Reduce Tobacco Use among Asian Americans and Pacific Islanders. *Cancer, 83*(Issue Supplement 8), 1818-1820.
- Lew R. (1998). The new paradigm for leadership in tobacco issues impacting Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health, 6*(2), 208-12.
- Lew R. (2009). Addressing the impact of tobacco on Asian Americans: A model for change. In WB Bateman, N Abesamis-Mendoza, & H Ho-Asjoe (Eds.), *Praeger handbook of Asian American health: Taking notice and taking action* (729-750). Santa Barbara, CA: Praeger.
- Li S, Delva J. (2012). Social capital and smoking among Asian American men: an exploratory study. *Am J Public Health, 102*(Suppl 2): S212–S221.
- Li S, Kwon SC, Weerasinghe I, Rey MJ, Trinh-Shevrin C. (2013). Smoking among Asian Americans: Acculturation and gender in the context of tobacco control policies in New York City. *Health Promot Pract*, [Epub ahead of print]
- Liao Y, Tsoh JY, Chen R, Foo MA, Garvin CC, Grigg-Saito D, Liang S, McPhee S, Nguyen TT, Tran JH, Giles WH. (2010). Decrease in smoking prevalence in Asian communities served by the Racial and Ethnic Approaches to Community Health (REACH) project. *American Journal of Public Health, 100*(5), 853-60.
- Ma GX, Chu KC, Tsou W. (2002). Smoking prevention and intervention in Asian American communities: a case study. In Ma GX & Henderson G (Eds.), *Ethnicity and Substance Abuse: Prevention and Intervention* (169-188). Springfield, IL: Charles C Thomas.
- Ma GX, Fang CY, Tan Y, Feeley RM. (2003). Perceptions of risks of smoking among Asian Americans. *Prev Med, 37*(4), 349-355.
- Ma GX, Shive S, Tan Y, Toubbeh J. (2002). Prevalence and predictors of tobacco use among Asian Americans in the Delaware Valley region. *American Journal of Public Health, 92*(6), 1013-1020.
- Ma GX, Shive SE, Tan Y, Feeley RM. (2004). The impact of acculturation on smoking in Asian American homes. *J Health Care Poor Underserved, 15*(2), 267-80.
- Ma GX, Shive SE, Tan Y, Toubbeh JI, Fang CY, Edwards RL. (2005). Tobacco use, secondhand smoke exposure and their related knowledge, attitudes and behaviors among Asian Americans. *Addict Behav, 30*(4), 725-40.
- Ma GX, Shive SE, Toubbeh J, Tan Y, and Zhao S. (2003). Social influences and smoking behaviors among four Asian American subgroups. *Californian Journal of Health Promotion 1*(3), 123-134.

- Ma GX, Tan Y, Fang CY, Toubbeh JI, Shive SE. (2005). Knowledge, attitudes and behavior regarding secondhand smoke among Asian Americans. *Prev Med*, 41(2), 446-53.
- Ma GX, Tan Y, Feeley RM, Thomas P. (2002). Perceived risks of certain types of cancer and heart disease among Asian American smokers and non-smokers. *J Community Health*, 27(4), 233-246.
- Ma GX, Tan Y, Toubbeh JI, Su X, Shive SE, Lan Y. (2004). Acculturation and smoking behavior in Asian-American populations. *Health Educ Res*, 19(6), 615-25.
- Ma GX, Toubbeh JI, Su X, Edwards RL. (2004). ATECAR: An Asian American community-based participatory research model on tobacco and cancer control. *Health Promotion and Practice*, 5(4), 382-94.
- Maskarinec G, Dhakal S, Pagano I, Carlin L, Goodman MT, Marchand LL, Nomura A, Wilkens LR, Kolonel LN. (2005). Ethnic differences in trends and determinants of cigarette smoking in Hawaii. *Ethn Dis*, 15, 316-323.
- Maxwell AE, Bernaards CA, McCarthy WJ. (2005). Smoking prevalence and correlates among Chinese- and Filipino-American adults: Findings from the 2001 California Health Interview Survey. *Prev Medicine*, 41(2), 693-699.
- Maxwell AE, Crespi CM, Alano RE, Sudan M, Bastani R. (2012). Health risk behaviors among five Asian American subgroups in California: identifying intervention priorities. *J Immigr Minor Health*, 14(5), 890-894. doi: 10.1007/s10903-011-9552-8
- McCarthy WJ, Divan HA, & Shah DB. (2003). Immigrant status and smoking. *American Journal of Public Health*, 93, 1616.
- Mermelstein R. (1999). Explanations of ethnic and gender differences in youth smoking: a multi-site, qualitative investigation. The Tobacco Control Network Writing Group. *Nicotine Tob Res*, 1(Suppl 1), S91-98.
- Moy KL, Sallis JF, Trinidad DR, Ice CL, McEligot AJ. 2012. Health behaviors of Native Hawaiian and Pacific Islander adults in California. *Asia Pac J Public Health* 24(6), 961-969. doi:10.1177/1010539511408068
- Myers MG, Doran NM, Trinidad DR, Wall TL, Klonoff EA. (2009). A prospective study of cigarette smoking initiation during college: Chinese and Korean American students. *Health Psychol*, 28(4), 448-56.
- Otsuki M, Tinsley BJ, Chao RK, Unger JB. (2008). An ecological perspective on smoking among Asian American college students: the roles of social smoking and smoking motives. *Psychol Addict Behav*, 22(4), 514-23.

- Otsuki M. (2009). Social connectedness and smoking behaviors among Asian American college students: An electronic diary study. *Nicotine & Tobacco Research, 11*(4), 418-426.
- Pobutsky A, St. John TL. (2010). Smoking and Tobacco Use in Hawaii: Facts, Figures and Trends. *Hawaii State Department of Health*.
- Raz DJ, Gomez SL, Chang ET, Kim JY, Keegan TH, Pham J, Kukreja J, Hiatt RA, Jablons DM. (2008). Epidemiology of non-small cell lung cancer in Asian Americans: incidence patterns among six subgroups by nativity. *J Thorac Oncol, 3*(12), 1391-7. doi:10.1097/JTO.0b013e31818ddff7
- Rosario-Sim MG, O'Connell KA. (2009). Depression and language acculturation correlate with smoking among older Asian American adolescents in New York City. *Public Health Nurs, 26*(6), 532-42. doi: 10.1111/j.1525-1446.2009.00811.x
- Shigaki, Alison. (2008). Preferences for smoking cessation resources and support among Chinese and Vietnamese current and former smokers. (Unpublished masters thesis). University of Washington, Seattle, Washington.
- Spigner C, Gran-O'Donnell S. (2001). Establishing baseline information on cigarette smoking behavior from ethnic-specific groups of Asian American and Pacific Islander youth in Seattle, Washington, 1996-1998. *Asian American and Pacific Islander Journal of Health, 9*(1), 34-9.
- Spigner C, Shigaki A, Tu S-P. (2005). Perceptions of Asian American men about tobacco cigarette consumption: a social learning theory framework. *J Immigr Health, 7*(4), 293-303.
- Spigner C, Yip MP, Huang B, Tu SP. (2001). Chinese and Vietnamese adult male smokers' perspectives regarding facilitators of tobacco cessation behavior. *Asian Pacific Journal of Cancer Prevention, 8*(3), 429-35.
- Suh D. (2001). Chronicle of advocacy to increase AAPI focused objectives in Healthy People 2010: implications for tobacco-related data and research. *Asian American and Pacific Islander Journal of Health, 9*(1), 95-9.
- Takahashi E, Kue J, Kim M, and Furrer C. (2009). [Asian Oregonians' Attitudes Toward the Tobacco Quit Line](http://public.health.oregon.gov/PreventionWellness/TobaccoPrevention/Documents/qoutline.pdf). Asian Family Center and NPC Research. Retrieved from <http://public.health.oregon.gov/PreventionWellness/TobaccoPrevention/Documents/qoutline.pdf>
- Tang H, Shimizu R, Chen M. (2005). English language proficiency and smoking prevalence among California's Asian Americans. *Cancer, 104*(12 Suppl), 2982-8.
- Tanjasiri SP, Lew R, Kuratani DG, Wong M, Fu L. (2011). Using Photovoice to assess and promote environmental approaches to tobacco control in AAPI communities. *Health Promot Pract, 12*(5), 654-665.

- Tong EK, Nguyen T, Vittinghoff E, Pérez-Stable EJ. (2009). Light and intermittent smoking among California's Asian Americans. *Nicotine & Tobacco Research*, 11(2), 197-202.
- Tong EK, Nguyen TT, Vittinghoff E, Pérez-Stable EJ. (2008). Smoking Behaviors Among Immigrant Asian Americans: Rules for Smoke-Free Homes. *American Journal of Preventive Medicine*, 35(1), 64-67.
- Tong EK, Tang H, Chen MS, McPhee SJ. (2011). Provider smoking cessation advice among California Asian-American smokers. *Asian Journal of Health Promotion*, 25(5 Supplement), S70-S74.
- Trinidad DR, Gilpin EA, Lee L, Pierce JP. (2004). Do the majority of Asian-American and African-American smokers start as adults? *American Journal of Preventive Medicine*, 26(2), 156-8.
- U.S. Department of Health and Human Services. (1998). Tobacco Use Among U.S. Racial/Ethnic Minority Groups – African Americans, American Indians and Alaska Natives, Asian Americans and Pacific Islanders, and Hispanics: A Report of the Surgeon General. *U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health*.
- Vander MRV, Cummings S, Coates RJ. (1990). Ethnicity and smoking: differences in white, black, Hispanic, and Asian medical patients who smoke. *American Journal of Preventive Medicine*, 6(4), 194-9.
- Voorhees CC, Ye C, Carter-Pokras O, MacPherson L, Kanamori M, Zhang G, Chen L, Fiedler R. (2011). Peers, tobacco advertising, and secondhand smoke exposure influences smoking initiation in diverse adolescents. *American Journal of Health Promotion*, 25(3), e1-e11.
- Wallace JM Jr., Bachman JG, O'Malley PM, Johnston LD, Schulenberg JE, Cooper SM. (2002). Tobacco, alcohol, and illicit drug use: racial and ethnic differences among U.S. high school seniors, 1976-2000. *Public Health Rep*, 117(Suppl 1): S67-S75.
- Weiss JW, Garbanati JA, Tanjasiri SP, Xie B, Palmer PH. (2006). Effects of family functioning and self-image on adolescent smoking initiation among Asian-American subgroups. *J Adolesc Health*, 39(2), 221-8.
- Wong M, Klinge RS, Price RK. (2004). Alcohol, tobacco, and other drug use among Asian American and Pacific Islander Adolescents in California and Hawaii. *Addictive Behaviors*, 29, 127-141.
- Workman RL. (2001). Tobacco use among Pacific Islanders: risk-behavior surveys and data sets for the study of smoking behavior on Guam. *Asian American and Pacific Islander Journal of Health*, 9(1), 15-24.

- Wu, L.-T., Swartz MS, Burchett B, NIDA AAPI Workgroup, Blazer DG. (2013). Tobacco use among Asian Americans, Native Hawaiians/Pacific Islanders, and mixed-race individuals: 2002–2010. *Drug Alcohol Depend*, [epub ahead of print]
<http://dx.doi.org/10.1016/j.drugalcdep.2013.01.008>
- Yang F, Cheng WJ, Ho MH, Pook H. (2013). Psychosocial correlates of cigarette smoking among Asian American and Pacific Islander adolescents. *Addictive Behaviors*, 38(4), 1890–1893.
- Yu M, Hahm HC, Vaughn MG. (2010). Intrapersonal and interpersonal determinants of smoking status among Asian American adolescents: finds from a national sample. *Nicotine & Tobacco Research*, 12(8), 801-9.
- Zhang J, Wang Z. (2008). Factors associated with smoking in Asian American adults: A systematic review. *Nicotine & Tobacco Research*, 10(5), 791-801.
- Zhu SH, Anderson CM, Johnson CE, Tedeschi G, Roeseler A. (2000). A centralized telephone service for tobacco cessation: the California experience. *Tobacco Control*, 9(Suppl II), ii48-ii55.
- Zhu SH, Cummins SE, Wong S, Gamst AC, Tedeschi GJ, Reyes-Nocon J. (2012). The Effects of Multilingual Telephone Quitline for Asian Smokers: A Randomized Controlled Trial. *J Natl Cancer Inst* 104(4), 299-310.
- Zhu SH, Wong S, Stevens C, Nakashima D, Gamst A. (2010). Use of a smokers' quitline by Asian language speakers: results from 15 years of operation in California. *American Journal of Public Health*, 100(5), 846-52. doi: 10.2105/AJPH.2009.168385
- Zhu SH, Wong S, Tang H, Shi CW, Chen MS Jr. (2007). High quit ratio among Asian immigrants in California: Implications for population tobacco cessation. *Nicotine & Tobacco Research*, 9(3), S505-S514.
- Zhu SH. (1998). Tobacco Control Section California Helpline for Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health*, 6(2), 260-261.

Chinese Americans

- Abdullah AS, Lam TH, Chan SS, Hedley AJ. (2006). Smoking cessation among Chinese young smokers: does gender and age difference matter and what are the predictors? *Addictive Behaviors*, 31(5), 913-21.

- Aczon-Armstrong M, Inouye J, Reyes-Salvail F. (2013). Depression and chronic illness: Asian/Pacific Islander adults in Hawaii. *Issues in Mental Health Nursing, 34*(3), 169-179, doi:10.3109/01612840.2012.738356
- Averbach AR, Lan D, Lam L-P, Sharfstein J, Cohen B, Koh H. (2002). Smoking behaviours and attitudes among male restaurant workers in Boston's Chinatown: A pilot study. *Tobacco Control, 11*(Suppl II), ii34-ii37.
- Benowitz NL, Perez-Stable EJ, Herrera B, Jacob P 3rd. (2002). Slower metabolism and reduced intake of nicotine from cigarette smoking in Chinese-Americans. *J Natl Cancer Inst, 94*(2), 108-15.
- Cantrell J, Hung D, Fahs MC, Shelley D. (2008). Purchasing Patterns and Smoking Behaviors After a Large Tobacco Tax Increase: A Study of Chinese Americans Living in New York City. *Public Health Rep, 123*(2), 135-146.
- Carr K, Beers M, Kassebaum T, Chen MS. (2005). California Chinese American Tobacco Use Survey—2004. *California Department of Health Services*.
- Centers for Disease Control and Prevention. (1992). Cigarette smoking among Chinese, Vietnamese, and Hispanics-California, 1989-1991. *Morbidity and Mortality Weekly Report, 41*(20), 362-67.
- Chen MS Jr., Ferketich AK, Moeschberger M, Wewers ME. (2001). Preparing the "Ground War" against tobacco among Chinese Americans in New York City. *Asian American and Pacific Islander Journal of Health, 9*(1), 88-94.
- Chen X, Unger JB, Johnson C. (1999). Is acculturation a risk factor for early smoking initiation among Chinese American minors? A comparative perspective. *Tobacco Control, 8*(4), 402-10.
- Fang CY, Ma GX, Miller SM, Tan Y, Su X, & Shive S. (2006). A brief smoking cessation intervention for Chinese and Korean American smokers. *Preventive Medicine, 43*(4), 321-324.
- Ferketich AK, Kwong K, Shek A, Lee M. (2007). Design and evaluation of a tobacco-prevention program targeting Chinese American youth in New York City. *Nicotine & Tobacco Research, 9*(2), 249-56.
- Ferketich AK, Wewers ME, Kwong K, Louie E, Moeschberger ML, Tso A, Chen MS Jr. (2004). Smoking cessation interventions among Chinese Americans: The role of families, physicians, and the media. *Nicotine & Tobacco Research, 6*(2), 241-248.
- Fu SS, MA GS, Tu SM, Sui PT, Metlay JP. (2003). Cigarette smoking among Chinese Americans and the influence of linguistic acculturation. *Nicotine & Tobacco Research, 5*(6), 803-811.

- Hsia FN, Sprujit-Metz D. (2003). The meanings of smoking among Chinese American and Taiwanese American college students. *Nicotine & Tobacco Research*, 5(6), 837-50.
- Hu KK, Wodall ED, Do HH, Tu SP, Thompson B, Acorda E, et al. (2006). Tobacco knowledge and beliefs in Chinese American men. *Asian Pac J Cancer Prev*, 7, 434-8.
- Hu SS, Pallonen EU, Meshack AF. (2007). The impact of immigration status on tobacco use among Chinese-American adults in Texas. *Journal of Immigrant and Minority Health*, 12(2), 206-214.
- Kaplan CP, Nguyen TT, Weinberg V. (2008). Longitudinal Study of Smoking Progression in Chinese and Vietnamese American Adolescents. *Asian Pacific J Cancer Prev*, 9, 335-342.
- Katsuyama, RM. (2004). Report on the Asian American Youth Against Tobacco (AAYAT) Youth Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Katsuyama, RM. (2005). Report on the Asian American Youth Against Tobacco (AAYAT) Adult Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Kwong K, Ferketich AK, Wewers ME, Shek A, Tsang T, Tso A. (2009). Development and Evaluation of a Physician-Led Smoking Cessation Intervention for Low-Income Chinese Americans. *The Journal of Smoking Cessation*, 4(2), 92-98.
- Li S, Delva J. (2012). Social capital and smoking among Asian American men: an exploratory study. *Am J Public Health*, 102(Suppl 2): S212–S221.
- Li S, Kwon SC, Weerasinghe I, Rey MJ, Trinh-Shevrin C. (2013). Smoking among Asian Americans: Acculturation and gender in the context of tobacco control policies in New York City. *Health Promot Pract*, [Epub ahead of print]
- Luk JW, Tsoh JY. (2010). Moderation of gender on smoking and depression in Chinese Americans. *Addict Behav*, 35(11):1040-3. doi: 10.1016/j.addbeh.2010.06.021
- Ma GX, Fang C, Shive SE, Su X, Toubbeh JI, Miller S, Tan Y. (2005). A culturally enhanced smoking cessation study among Chinese and Korean smokers. *The International Electronic Journal of Health Education*, 8, 1-10.
- Ma GX, Fang CY, Tan Y, Feeley RM. (2003). Perceptions of risks of smoking among Asian Americans. *Prev Med*, 37(4), 349-355.
- Ma GX, Poon AN, Toubbeh JI. (2008). Diffusion of Philadelphia's no-smoking policy to Chinese businesses. *Am J Health Stud*, 23(4), 162–172.
- Ma GX, Shive S, Tan Y, Toubbeh J. (2002). Prevalence and predictors of tobacco use among Asian Americans in the Delaware Valley region. *American Journal of Public Health*, 92(6), 1013-1020.

- Ma GX, Shive SE, Tan Y, Feeley RM. (2004). The impact of acculturation on smoking in Asian American homes. *J Health Care Poor Underserved, 15*(2), 267-80.
- Ma GX, Shive SE, Tan Y, Thomas P, Man VL. (2004). Development of a culturally appropriate smoking cessation program for Chinese-American youth. *J Adolesc Health, 35*(3), 206-16.
- Ma GX, Shive SE, Tan Y, Toubbeh JI, Fang CY, Edwards RL. (2005). Tobacco use, secondhand smoke exposure and their related knowledge, attitudes and behaviors among Asian Americans. *Addict Behav, 30*(4), 725-40.
- Ma GX, Shive SE, Toubbeh J, Tan Y, and Zhao S. (2003). Social influences and smoking behaviors among four Asian American subgroups. *Californian Journal of Health Promotion 1*(3), 123-134.
- Ma GX, Tan Y, Fang CY, Toubbeh JI, Shive SE. (2005). Knowledge, attitudes and behavior regarding secondhand smoke among Asian Americans. *Prev Med, 41*(2), 446-53.
- Ma GX, Tan Y, Feeley RM, Thomas P. (2002). Perceived risks of certain types of cancer and heart disease among Asian American smokers and non-smokers. *J Community Health, 27*(4), 233-246.
- Ma GX, Tan Y, Toubbeh JI, Su X, Shive SE, Lan Y. (2004). Acculturation and smoking behavior in Asian-American populations. *Health Educ Res, 19*(6), 615-25.
- Maskarinec G, Dhakal S, Pagano I, Carlin L, Goodman MT, Marchand LL, Nomura A, Wilkens LR, Kolonel LN. (2005). Ethnic differences in trends and determinants of cigarette smoking in Hawaii. *Ethn Dis, 15*, 316-323.
- Maxwell AE, Bernaards CA, McCarthy WJ. (2005). Smoking prevalence and correlates among Chinese- and Filipino-American adults: Findings from the 2001 California Health Interview Survey. *Prev Medicine, 41*(2), 693-699.
- Maxwell AE, Crespi CM, Alano RE, Sudan M, Bastani R. (2012). Health risk behaviors among five Asian American subgroups in California: identifying intervention priorities. *J Immigr Minor Health, 14*(5), 890-894. doi: 10.1007/s10903-011-9552-8
- Myers MG, Doran NM, Trinidad DR, Wall TL, Klonoff EA. (2009). A prospective study of cigarette smoking initiation during college: Chinese and Korean American students. *Health Psychol, 28*(4), 448-56.
- Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent Prevention and Treatment Needs Assessment – Chinese Student Results. *Hawaii Department of Health*.
- Shelley D, Fahs M, Scheinmann R, Swain S, Qu J, Burton. (2004). Acculturation and tobacco use among Chinese Americans. *American Journal of Public Health, 94*(2), 300-7.

- Shelley D, Fahs MC, Yerneni R, Das D, et al. (2008). Effectiveness of tobacco control among Chinese Americans: a comparative analysis of policy approaches versus community-based programs. *Preventive Medicine, 47*(5), 530-536.
- Shelley D, Fahs MC, Yerneni R, Qu J, Burton D. (2006). Correlates of household smoking bans among Chinese Americans. *Nicotine & Tobacco Research, 8*(1), 103-12.
- Shelley D, Nguyen N, Peng Cha-Hui, Chin M, Chang MD, Fahs M. (2008). Increasing access to evidence-based smoking cessation treatment: effectiveness of a free nicotine patch program among Chinese immigrants. *Journal of Immigrant and Minority Health, 12*(2), 198-205.
- Shelley D, Yerneni R, Hung D, Das D, Fahs M. (2007). The relative effect of household and workplace smoking restriction on health status among Chinese Americans living in New York City. *J Urban Health, 84*(3), 360-71.
- Shigaki, Alison. (2008). Preferences for smoking cessation resources and support among Chinese and Vietnamese current and former smokers. (Unpublished masters thesis). University of Washington, Seattle, Washington.
- Spigner C, Gran-O'Donnell S. (2001). Establishing baseline information on cigarette smoking behavior from ethnic-specific groups of Asian American and Pacific Islander youth in Seattle, Washington, 1996-1998. *Asian American and Pacific Islander Journal of Health, 9*(1), 34-9.
- Spigner C, Shigaki A, Tu S-P. (2005). Perceptions of Asian American men about tobacco cigarette consumption: a social learning theory framework. *J Immigr Health, 7*(4), 293-303.
- Spigner C, Yip MP, Huang B, Tu SP. (2001). Chinese and Vietnamese adult male smokers' perspectives regarding facilitators of tobacco cessation behavior. *Asian Pacific Journal of Cancer Prevention, 8*(3), 429-35.
- Tang H, Shimizu R, Chen M. (2005). English language proficiency and smoking prevalence among California's Asian Americans. *Cancer, 104*(12 Suppl), 2982-8.
- Tanjasiri SP, Lew R, Kuratani DG, Wong M, Fu L. (2011). Using Photovoice to assess and promote environmental approaches to tobacco control in AAPI communities. *Health Promot Pract, 12*(5), 654-665.
- Thridandam M, Fong W, Jang M, Louie L, Forst M. (1998). A tobacco and alcohol use profile of San Francisco's Chinese community. *Journal of Drug Education, 28*, 377-393.
- Tong EK, Nguyen T, Vittinghoff E, Pérez-Stable EJ. (2009). Light and intermittent smoking among California's Asian Americans. *Nicotine & Tobacco Research, 11*(2), 197-202.

- Tong EK, Nguyen TT, Vittinghoff E, Pérez-Stable EJ. (2008). Smoking Behaviors Among Immigrant Asian Americans: Rules for Smoke-Free Homes. *American Journal of Preventive Medicine*, 35(1), 64-67.
- Tong EK, Tang H, Chen MS, McPhee SJ. (2011). Provider smoking cessation advice among California Asian-American smokers. *Asian Journal of Health Promotion*, 25(5 Supplement), S70-S74.
- Tong EK, Tang H, Tsoh J, Wong C, Chen MS. (2009). Smoke-free policies among Asian-American women: comparisons by education status. *American Journal of Preventive Medicine*, 37(2S), S144-S150.
- Tsoh HY, Lam JN, Delucchi KL, Hall SM. (2003). Smoking and depression in Chinese Americans. *Am J Med Sci*, 326(4), 187-191.
- Tu SP, Walsh M, Tseng B, Thompson B. (2000). Tobacco use by Chinese American men: an exploratory study of the factors associated with cigarette use and smoking cessation. *Asian American and Pacific Islander Journal of Health*, 8(1), 46-57.
- Weiss JW, Garbanati JA, Tanjasiri SP, Xie B, Palmer PH. (2006). Effects of family functioning and self-image on adolescent smoking initiation among Asian-American subgroups. *J Adolesc Health*, 39(2), 221-8.
- Wong CC, Tong EK, Tsoh JY, Chen MJ, Hom FB. (2009). Patterns of tobacco-use behavior among Chinese smokers with medical conditions. *J Community Health*, 34, 472-479.
- Wong CC, Tsoh JY, Tong EK, Hom FB, Cooper B, Chow EA. (2008). The Chinese Community Smoking Cessation Project: A community sensitive intervention Trial. *Journal of Community Health*, 33, 363-373.
- Wong M, Klinge RS, Price RK. (2004). Alcohol, tobacco, and other drug use among Asian American and Pacific Islander Adolescents in California and Hawaii. *Addictive Behaviors*, 29, 127-141.
- Wu D, Ma GX, Zhou K, Zhou D, Liu A, Poon AN. (2009). The effect of a culturally tailored smoking cessation for Chinese American smokers. *Nicotine & Tobacco Research*, 11(12), 1448-57.
- Yang T, Fisher KJ, Li F, Danaher GB. (2006). Attitudes to smoking cessation and triggers to relapse among Chinese male smokers. *BMC Public Health*, 6, 65.
- Yu ES, Chen EH, Kim KK, Abdulrahim S. (2002). Smoking among Chinese Americans: behavior, knowledge, and beliefs. *American Journal of Public Health*, 92(6), 1007-12.

- Zhu SH, Anderson CM, Johnson CE, Tedeschi G, Roeseler A. (2000). A centralized telephone service for tobacco cessation: the California experience. *Tobacco Control*, 9(Suppl II), ii48-ii55.
- Zhu SH, Cummins SE, Wong S, Gamst AC, Tedeschi GJ, Reyes-Nocon J. (2012). The Effects of Multilingual Telephone Quitline for Asian Smokers: A Randomized Controlled Trial. *J Natl Cancer Inst* 104(4), 299-310.
- Zhu SH, Wong S, Stevens C, Nakashima D, Gamst A. (2010). Use of a smokers' quitline by Asian language speakers: results from 15 years of operation in California. *American Journal of Public Health*, 100(5), 846-52. doi: 10.2105/AJPH.2009.168385
- Zhu SH, Wong S, Tang H, Shi CW, Chen MS Jr. (2007). High quit ratio among Asian immigrants in California: Implications for population tobacco cessation. *Nicotine & Tobacco Research*, 9(3), S505-S514.
-

Filipino Americans

- Aczon-Armstrong M, Inouye J, Reyes-Salvail F. (2013). Depression and chronic illness: Asian/Pacific Islander adults in Hawaii. *Issues in Mental Health Nursing*, 34(3), 169-179, doi:10.3109/01612840.2012.738356
- Choy LB and Maddock JE. (2005). Correlates of Smoke-Free Policies in Homes and Cars among Hawaii Residents. *Californian Journal of Health Promotion* 3(4), 8-20.
- Garcia GM, Romero RA, Maxwell AE. (2010). Correlates of smoking cessation among Filipino immigrant men. *Journal of Immigrant and Minority Health*, 12(2), 259-62.
- Glanz K, Maskarinec G, and Carlin L. (2005). Ethnicity, Sense of Coherence, and Tobacco Use Among Adolescents. *Ann Behav Med*, 29(3), 192-199.
- Herzog TA & Pokhrel P. (2012). Ethnic differences in smoking rate, nicotine dependence, and cessation-related variables among adult smokers in Hawaii. *J Community Health*, 37(6), 1226-1233. doi: 10.1007/s10900-012-9558-8
- Hishinuma ES, Else IRN, Chang JY, Goebert DA, et al. (2006). Substance use as a robust correlate of school outcome measures for ethnically diverse adolescents of Asian/Pacific Islander ancestry. *School Psychology Quarterly*, 21(3), 286-322.
- Kaholokula JK, Braun KL, Kana'iaupuni SK, Grandinetti A, Chang HK. (2006). Ethnic-by-gender differences in cigarette smoking among Asian and Pacific Islanders. *Nicotine & Tobacco Research*, 8(2), 275-286.

Katsuyama, RM. (2004). Report on the Asian American Youth Against Tobacco (AAYAT) Youth Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>

Katsuyama, RM. (2005). Report on the Asian American Youth Against Tobacco (AAYAT) Adult Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>

Li S, Delva J. (2012). Social capital and smoking among Asian American men: an exploratory study. *Am J Public Health, 102*(Suppl 2): S212–S221.

Maskarinec G, Dhakal S, Pagano I, Carlin L, Goodman MT, Marchand LL, Nomura A, Wilkens LR, Kolonel LN. (2005). Ethnic differences in trends and determinants of cigarette smoking in Hawaii. *Ethn Dis, 15*, 316-323.

Maxwell AE, Bernaards CA, McCarthy WJ. (2005). Smoking prevalence and correlates among Chinese- and Filipino-American adults: Findings from the 2001 California Health Interview Survey. *Prev Medicine, 41*(2), 693-699.

Maxwell AE, Crespi CM, Alano RE, Sudan M, Bastani R. (2012). Health risk behaviors among five Asian American subgroups in California: identifying intervention priorities. *J Immigr Minor Health, 14*(5), 890-894. doi: 10.1007/s10903-011-9552-8

Maxwell AE, Garcia GM, Berman BA. (2007). Understanding tobacco use among Filipino American men. *Nicotine & Tobacco Research, 9*(7), 769-76.

Nadal, K. L. (2000). F/Pilipino American Substance Abuse: Sociocultural Factors and Methods of Treatment. *Journal of Alcohol and Drug Education, 46*(2), 26-36.

Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent Prevention and Treatment Needs Assessment – Filipino Student Results. *Hawaii Department of Health*.

Pobutsky A, St. John TL. (2010). Smoking and Tobacco Use in Hawaii: Facts, Figures and Trends. *Hawaii State Department of Health*.

Spigner C, Gran-O'Donnell S. (2001). Establishing baseline information on cigarette smoking behavior from ethnic-specific groups of Asian American and Pacific Islander youth in Seattle, Washington, 1996-1998. *Asian American and Pacific Islander Journal of Health, 9*(1), 34-9.

Tang H, Shimizu R, Chen M. (2005). English language proficiency and smoking prevalence among California's Asian Americans. *Cancer, 104*(12 Suppl), 2982-8.

Tanjasiri SP, Lew R, Kuratani DG, Wong M, Fu L. (2011). Using Photovoice to assess and promote environmental approaches to tobacco control in AAPI communities. *Health Promot Pract, 12*(5), 654-665.

Tong EK, Nguyen T, Vittinghoff E, Pérez-Stable EJ. (2009). Light and intermittent smoking among California's Asian Americans. *Nicotine & Tobacco Research*, 11(2), 197-202.

Tong EK, Nguyen TT, Vittinghoff E, Pérez-Stable EJ. (2008). Smoking Behaviors Among Immigrant Asian Americans: Rules for Smoke-Free Homes. *American Journal of Preventive Medicine*, 35(1), 64-67.

Weiss JW, Garbanati JA, Tanjasiri SP, Xie B, Palmer PH. (2006). Effects of family functioning and self-image on adolescent smoking initiation among Asian-American subgroups. *J Adolesc Health*, 39(2), 221-8.

Wong M, Klinge RS, Price RK. (2004). Alcohol, tobacco, and other drug use among Asian American and Pacific Islander Adolescents in California and Hawaii. *Addictive Behaviors*, 29 127–141.

Korean Americans

Aczon-Armstrong M, Inouye J, Reyes-Salvail F. (2013). Depression and chronic illness: Asian/Pacific Islander adults in Hawaii. *Issues in Mental Health Nursing*, 34(3), 169-179, doi:10.3109/01612840.2012.738356

Allem JP, Ayers JW, Unger JB, Irvin VL, Hofstetter CR, Hovell MF. Smoking trajectories among Koreans in Seoul and California: exemplifying a common error in age parameterization. *Asian Pac J Cancer Prev*, 13(5), 1851-6.

Ayers JW, Hofstetter CR, Hughes SC, Park H, Paik HY, Irvin VL, et al. (2010). Smoking on both sides of the pacific: home smoking restrictions and secondhand smoke exposure among Korean adults and children in Seoul and California. *Nicotine Tob Res*, 12(11), 1142-50.

Carr K, Beers M, Kassebaum T, Chen MS. (2005). California Korean American Tobacco Use Survey—2004. *California Department of Health Services*.

Centers for Disease Control and Prevention. (1997). Behavioral Risk Factor Survey of Korean Americans - Alameda County, California, 1994. *Morbidity and Mortality Weekly Report*, 46(33), 774-7.

Fang CY, Ma GX, Miller SM, Tan Y, Su X, & Shive S. (2006). A brief smoking cessation intervention for Chinese and Korean American smokers. *Preventive Medicine*, 43(4), 321-324.

Hofstetter CR, Ayers JW, Irvin VL, Sim DEK, Hughes SC, Reighard F, Hovell MF. (2010). Does church participation facilitate tobacco control?: A report on Korean immigrants. *J Immigrant Minority Health*, 12,187–197.

- Hofstetter CR, Hovell MF, Irvin VL, Ayers JW, Hughes SC, Kang S. (2010). It's others, not the police: smoking, reprimand, and fines among adults of Korean descent in California. *Health Psychology, 29*(3), 255-61.
- Hofstetter CR, Hovell MF, Jung KR, Raman R, Irvin V, Ni R. (2007). The first puff: forces in smoking initiation among Californians of Korean descent. *Nicotine Tob Res, 9*(12), 1277-86.
- Hofstetter CR, Hovell MF, Lee J, Zakarian J, Park H, Paik HY, Irvin V. (2004). Tobacco use and acculturation among Californians of Korean descent: A behavioral epidemiological analysis. *Nicotine & Tobacco Research, 6*(3), 481-489.
- Hofstetter CR, Roussos ST, Hovell M, Lee J, Park H, Paik H, Keating K. (2003). Selected risk factors for cancer among Koreans residing in California. *Korean Korean Am Stud Bulletin, 13*(1/2):48-58.
- Hughes SC, Corcos IA, Hofstetter CR, Hovell MF, Irvin VL. (2007). Environmental Tobacco Smoke Exposure among Korean American Nonsmokers in California. *Nicotine & Tobacco Research, 10*(4), 663-670.
- Hughes SC, Corcos IA, Hofstetter CR, Hovell MF, Irvin VL. (2009). Longitudinal study of household smoking ban adoption among Korean Americans. *American Journal of Preventive Medicine, 37*(5), 437-40.
- Hughes SC, Usita PM, Hovell MF, Richard Hofstetter C. (2011). Reactions to secondhand smoke by nonsmokers of Korean descent: clash of cultures? *J Immigr Minor Health, 13*(4): 766-771.
- Islam N, Kwon SC, Ahsan H, Senie RT. (2005). New York AANCART: Using Participatory Research to Address the Health Needs of South Asian and Korean Americans in New York City. *Cancer Supplement, 104*(12), 2931-2936.
- Janevic T. (1997). 1994 Korean American Community Health Survey: Alameda and Santa Clara Counties, CA. Berkeley, CA: Center for Family and Community Health, University of California at Berkeley. Retrieved from <http://cfch.berkeley.edu/reports/khs94.PDF>
- Jee SH, Ohrr H, Kim IS. (1999). Effects of husbands' smoking on the incidence of lung cancer in Korean women. *International Journal of Epidemiology, 28*, 824-828.
- Ji M, Hofstetter CR, Hovell M, Irvin V, Song YJ, Lee J, Park H, Paik HY. (2005). Smoking cessation patterns and predictors among adult Californians of Korean descent. *Nicotine & Tobacco Research, 7*(1), 59-69.
- Juon H-S, Kim M, Han H, Ryu JP, Han W. (2003). Acculturation and cigarette smoking among Korean American men. *Yonsei Med J, 44*, 875-882.

- Katsuyama, RM. (2004). Report on the Asian American Youth Against Tobacco (AAYAT) Youth Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Katsuyama, RM. (2005). Report on the Asian American Youth Against Tobacco (AAYAT) Adult Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Kim K, Yu E, Chen E, Kim J, Brintnall R, Vance S. (2000). Smoking behavior, knowledge, and beliefs among Korean Americans. *Cancer Practice*, 8(5), 223-230.
- Kim SS, Kim SH, Ziedonis D. (2012). Tobacco dependence treatment for Korean Americans: preliminary findings. *Journal of Immigrant and Minority Health*, 14(3), 395-404.
- Kim SS, Kwon MS, Klessig YC, Ziedonis D. (2008). Adapting tobacco dependence group therapy treatment for Korean Americans: a case report of pilot treatment program. *Journal of Groups in Addiction & Recovery*, 3(1), 93-108.
- Kim SS, Nam KA. (2005). Korean male smokers' perceptions of tobacco control policies in the United States. *Public Health Nursing*, 22(3), 221-229.
- Kim SS, Son H, Nam KA. (2005). Personal Factors Influencing Korean American Men's Smoking Behavior: Addiction, Health, and Age. *Archives of Psychiatric Nursing*, 19(1), 35-41.
- Kim SS, Son H, Nam KA. (2005). The Sociocultural Context of Korean American Men's Smoking Behavior. *Western Journal of Nursing Research*, 27, 604-623.
- Kim SS. (2008). Predictors of short-term smoking cessation among Korean American men. *Public Health Nursing*, 25(6), 516-525.
- Kviz F, Cho YI, Johnson TP, Wilgerodt MA, Clark MA, Chavez N, Peacock NR, Glasser M, and Freels S. (2003). Korean American men's perceptions about smoking-related symptomatology: Implications for intervention. *Korean Korean Am Stud Bulletin*, 13(1/2), 71-83.
- Lee HJ, Kazinets G, Moskowitz JM. (2006). 2002 Korean American Community Health Survey: Alameda and Santa Clara Counties, CA. Berkeley, CA: Center for Family and Community Health, University of California at Berkeley. Retrieved from <http://cfch.berkeley.edu/reports/reports.html/khs2002.pdf>
- Lee S, Sobal J, Frongillo EA. (2000). Acculturation and health in Korean Americans. *Social Science and Medicine*, 51, 159-173.
- Lew A. (1999). 1997 Korean American Community Health Survey: Alameda and Santa Clara Counties, CA. Berkeley, CA: Center for Family and Community Health, University of California at Berkeley. Retrieved from <http://http://cfch.berkeley.edu/reports/khs97.PDF>

- Lew R, Moskowitz JM, Wismer BA, Min K, Kang SH, Chen AM, Tager IB. (2001). Correlates of cigarette smoking among Korean American adults in Alameda County, California. *Asian American and Pacific Islander Journal of Health*, 9(1), 49-60.
- Li S, Kwon SC, Weerasinghe I, Rey MJ, Trinh-Shevrin C. (2013). Smoking among Asian Americans: Acculturation and gender in the context of tobacco control policies in New York City. *Health Promot Pract*, [Epub ahead of print]
- Ma GX, Fang C, Shive SE, Su X, Toubbeh JI, Miller S, Tan Y. (2005). A culturally enhanced smoking cessation study among Chinese and Korean smokers. *The International Electronic Journal of Health Education*, 8, 1-10.
- Ma GX, Fang CY, Knauer CA, Tan Y, Shive SE. (2006). Tobacco dependence, risk perceptions and self-efficacy among Korean American smokers. *Addictive Behaviors*, 31(10), 1776-1784.
- Ma GX, Fang CY, Tan Y, Feeley RM. (2003). Perceptions of risks of smoking among Asian Americans. *Prev Med*, 37(4), 349-355.
- Ma GX, Shive S, Tan Y, Toubbeh J. (2002). Prevalence and predictors of tobacco use among Asian Americans in the Delaware Valley region. *American Journal of Public Health*, 92(6), 1013-1020.
- Ma GX, Shive SE, Tan Y, Feeley RM. (2004). The impact of acculturation on smoking in Asian American homes. *J Health Care Poor Underserved*, 15(2), 267-80.
- Ma GX, Shive SE, Tan Y, Toubbeh JI, Fang CY, Edwards RL. (2005). Tobacco use, secondhand smoke exposure and their related knowledge, attitudes and behaviors among Asian Americans. *Addict Behav*, 30(4), 725-40.
- Ma GX, Shive SE, Toubbeh J, Tan Y, and Zhao S. (2003). Social influences and smoking behaviors among four Asian American subgroups. *Californian Journal of Health Promotion* 1(3), 123-134.
- Ma GX, Tan Y, Fang CY, Toubbeh JI, Shive SE. (2005). Knowledge, attitudes and behavior regarding secondhand smoke among Asian Americans. *Prev Med*, 41(2), 446-53.
- Ma GX, Tan Y, Feeley RM, Thomas P. (2002). Perceived risks of certain types of cancer and heart disease among Asian American smokers and non-smokers. *J Community Health*, 27(4), 233-246.
- Ma GX, Tan Y, Toubbeh JI, Su X, Shive SE, Lan Y. (2004). Acculturation and smoking behavior in Asian-American populations. *Health Educ Res*, 19(6), 615-25.
- Maxwell AE, Crespi CM, Alano RE, Sudan M, Bastani R. (2012). Health risk behaviors among five Asian American subgroups in California: identifying intervention priorities. *J Immigr Minor Health*, 14(5), 890-894. doi: 10.1007/s10903-011-9552-8

- Myers MG, Doran NM, Trinidad DR, Wall TL, Klonoff EA. (2009). A prospective study of cigarette smoking initiation during college: Chinese and Korean American students. *Health Psychol*, 28(4), 448-56.
- Myung SK, McDonnell DD, Kazinets G, Seo HG, Moskowitz JM. (2010). Relationships between household smoking restrictions and intention to quit smoking among Korean American male smokers in California. *J Korean Med Sci*, 25(2), 245-50.
- Tang H, Shimizu R, Chen M. (2005). English language proficiency and smoking prevalence among California's Asian Americans. *Cancer*, 104(12 Suppl), 2982-8.
- Tong EK, Nguyen T, Vittinghoff E, Pérez-Stable EJ. (2009). Light and intermittent smoking among California's Asian Americans. *Nicotine & Tobacco Research*, 11(2), 197-202.
- Tong EK, Nguyen TT, Vittinghoff E, Pérez-Stable EJ. (2008). Smoking Behaviors Among Immigrant Asian Americans: Rules for Smoke-Free Homes. *American Journal of Preventive Medicine*, 35(1), 64-67.
- Tong EK, Tang H, Chen MS, McPhee SJ. (2011). Provider smoking cessation advice among California Asian-American smokers. *Asian Journal of Health Promotion*, 25(5 Supplement), S70-S74.
- Tong EK, Tang H, Tsoh J, Wong C, Chen MS. (2009). Smoke-free policies among Asian-American women: comparisons by education status. *American Journal of Preventive Medicine*, 37(2S), S144-S150.
- Weiss JW, Garbanati JA, Tanjasiri SP, Xie B, Palmer PH. (2006). Effects of family functioning and self-image on adolescent smoking initiation among Asian-American subgroups. *J Adolesc Health*, 39(2), 221-8.
- Zhu SH, Anderson CM, Johnson CE, Tedeschi G, Roeseler A. (2000). A centralized telephone service for tobacco cessation: the California experience. *Tobacco Control*, 9(Suppl II), ii48-ii55.
- Zhu SH, Cummins SE, Wong S, Gamst AC, Tedeschi GJ, Reyes-Nocon J. (2012). The Effects of Multilingual Telephone Quitline for Asian Smokers: A Randomized Controlled Trial. *J Natl Cancer Inst* 104(4), 299-310.
- Zhu SH, Wong S, Stevens C, Nakashima D, Gamst A. (2010). Use of a smokers' quitline by Asian language speakers: results from 15 years of operation in California. *American Journal of Public Health*, 100(5), 846-52. doi: 10.2105/AJPH.2009.168385
- Zhu SH, Wong S, Tang H, Shi CW, Chen MS Jr. (2007). High quit ratio among Asian immigrants in California: Implications for population tobacco cessation. *Nicotine & Tobacco Research*, 9(3), S505-S514.

Native Hawaiians

- Aczon-Armstrong M, Inouye J, Reyes-Salvail F. (2013). Depression and chronic illness: Asian/Pacific Islander adults in Hawaii. *Issues in Mental Health Nursing*, 34(3), 169-179, doi:10.3109/01612840.2012.738356
- Appleyard J, Messeri P, Haviland ML. (2001). Smoking among Asian-American and Hawaiian/Pacific Islander Youth: Data from the 2000 National Youth Tobacco Survey. *Asian American and Pacific Islander Journal of Health*, 9(1), 5-14.
- Austin AA. (2004). Alcohol, tobacco, other drug use, and violent behavior among Native Hawaiians: ethnic pride and resilience. *Subst Use Misuse* 39(5), 721-746.
- Choy LB and Maddock JE. (2005). Correlates of Smoke-Free Policies in Homes and Cars among Hawaii Residents. *Californian Journal of Health Promotion* 3(4), 8-20.
- Curb JD, Aluli NE, Kautz JA, Petrovitch H, Knutsen SF, Knutsen R, et al. (1991). Cardiovascular risk factor levels in ethnic Hawaiians. *Am J Public Health*, 81(2), 164-7.
- Else IRN, Goebert DA, Nishimura ST, Braun KL. (2008). Smoking is the Least of Our Problems: Focus Group Findings from Native Hawaiian Youth. *Hūlili: Multidisciplinary Research on Hawaiian Well-Being*, 5, 287-314.
- Else IRN, Hishinuma ES, Goebert DA, Nishimura ST, Baker S. (2008). Predicting cigarette use among Hawai'i Adolescents. *School Psychology International*, 29(2), 230-247.
- Glanz K, Maskarinec G, and Carlin L. (2005). Ethnicity, Sense of Coherence, and Tobacco Use Among Adolescents. *Ann Behav Med*, 29(3), 192-199.
- Glanz K, Mau M, Steffen A, Maskarinec G, Arriola KJ. (2007). Tobacco use among Native Hawaiian middle school students its prevalence, correlates and implications. *Ethn Health*, 12(3), 227-44.
- Haiman, CA, Stram DO, Wilkens LR, Pike MC, Kolonel LN, Henderson BE, Le Marchand L. (2006). Ethnic and racial differences in the smoking-related risk of lung cancer. *New England Journal of Medicine*, 354(4), 333-342.
- Hancock WT, Durand AM, Yolwa A, Sagury J, Legthar C, Ratima M, Wachi K, Adhikary A, Yarawamai M, Yarawamai A, Maskarinec G. (2007). Ulithi Atoll Health Assessment: A peek at the health of rural Micronesia. *Pacific Health Dialog* 14(1), 156-164.

- Herzog TA & Pokhrel P. (2012). Ethnic differences in smoking rate, nicotine dependence, and cessation-related variables among adult smokers in Hawaii. *J Community Health, 37*(6), 1226-1233. doi: 10.1007/s10900-012-9558-8
- Hishinuma ES, Else IRN, Chang JY, Goebert DA, et al. (2006). Substance use as a robust correlate of school outcome measures for ethnically diverse adolescents of Asian/Pacific Islander ancestry. *School Psychology Quarterly, 21*(3), 286-322.
- Hughes CK, Tsark JU, Kenui CK, Alexander GA. (2000). Cancer research studies in Native Hawaiians and Pacific Islanders. *Ann Epidemiol, 10*(8 Suppl), S49-60.
- Ichiho HM. (2004). Tobacco use prevention and control: implications for Native Hawaiian communities. *Pacific Health Dialog, 11*(2), 131-138.
- Johnson DB, Oyama N, LeMarchand L, & Wilkens L. (2004). Native Hawaiians mortality, morbidity, and lifestyle: comparing data from 1982, 1990, and 2000. *Pacific Health Dialog, 11*(2), 120-130.
- Kaholokula JK, Braun KL, Kana'iaupuni SK, Grandinetti A, Chang HK. (2006). Ethnic-by-gender differences in cigarette smoking among Asian and Pacific Islanders. *Nicotine & Tobacco Research, 8*(2), 275-286.
- Kaholokula JK, Braun KL, Santos JI, Chang HK. (2008). Culturally informed smoking cessation strategies for Native Hawaiians. *Nicotine & Tobacco Research, 10*(4), 671-681.
- Kaholokula JK, Grandinetti A, Crabbe KM, Chang HK, Kenui CK. (1999). Depressive symptoms and cigarette smoking among Native Hawaiians. *Asia Pacific Journal of Public Health, 11*, 60-64.
- Lew R. (2004). APPEAL: fighting for social justice in tobacco control among Native Hawaiians and Pacific Islanders through leadership and capacity building. *Pacific Health Dialog, 11*(2), 239-242.
- Marshall M. (1997). Tobacco prevention in the Federated States of Micronesia. *Drug and Alcohol Review, 16*(4), 411-419. DOI: 10.1080/09595239700186811
- Maskarinec G, Dhakal S, Pagano I, Carlin L, Goodman MT, Marchand LL, Nomura A, Wilkens LR, Kolonel LN. (2005). Ethnic differences in trends and determinants of cigarette smoking in Hawaii. *Ethn Dis, 15*, 316-323.
- Moy KL, Sallis JF, Trinidad DR, Ice CL, McEligot AJ. 2012. Health behaviors of Native Hawaiian and Pacific Islander adults in California. *Asia Pac J Public Health 24*(6), 961-969. doi:10.1177/1010539511408068

- Myers MG, Doran NM, Trinidad DR, Wall TL, Klonoff EA. (2009). A prospective study of cigarette smoking initiation during college: Chinese and Korean American students. *Health Psychol*, 28(4), 448-56.
- Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent Prevention and Treatment Needs Assessment – Native Hawaiian Student Results. *Hawaii Department of Health*.
- Pobutsky A, St. John TL. (2010). Smoking and Tobacco Use in Hawaii: Facts, Figures and Trends. *Hawaii State Department of Health*.
- Santos LA, Braun KL, Ae`a K, & Shearer L. (2008). Institutionalizing a comprehensive tobacco-cessation protocol in an indigenous health system: lessons learned. *Prog Community Health Partnersh*, 2(4), 279–289. doi: 10.1353/cpr.0.0038
- Voorhees CC, Ye C, Carter-Pokras O, MacPherson L, Kanamori M, Zhang G, Chen L, Fiedler R. (2011). Peers, tobacco advertising, and secondhand smoke exposure influences smoking initiation in diverse adolescents. *American Journal of Health Promotion*, 25(3), e1-e11.
- Wong M, Klinge RS, Price RK. (2004). Alcohol, tobacco, and other drug use among Asian American and Pacific Islander Adolescents in California and Hawaii. *Addictive Behaviors*, 29, 127–141.
- Wright TE, Tam E. (2010). Disparate rates of persistent smoking and drug use during pregnancy of women of Hawaiian ancestry. *Ethn Dis*, 20(1 Suppl 1), S1-215-8.

Pacific Islanders

- Aczon-Armstrong M, Inouye J, Reyes-Salvail F. (2013). Depression and chronic illness: Asian/Pacific Islander adults in Hawaii. *Issues in Mental Health Nursing*, 34(3), 169-179, doi:10.3109/01612840.2012.738356
- Appleyard J, Messeri P, Haviland ML. (2001). Smoking among Asian-American and Hawaiian/Pacific Islander Youth: Data from the 2000 National Youth Tobacco Survey. *Asian American and Pacific Islander Journal of Health*, 9(1), 5-14.
- Carpenter JM, Syms MJ, Sniezek JC. (2005). Oral carcinoma associated with betel nut chewing in the Pacific: an impending crisis? *Pac Health Dialog*, 12(1):158-62.
- Chen T, Ou AC, Haberle H, Miller VP, Langidrik JR, & Palafox NA. (2004). Smoking rates and risk factors among youth in the Republic of the Marshall Islands: Results of a school survey. *Pacific Health Dialog*, 11(2): 107-113.

Last Updated: 06/15/2013

Chiem B, Nguyen V, Wu PL, Ko CM, Cruz LA, & Sadler GR. (2006). Cardiovascular risk factors among Chamorros. *BMC Public Health*, 6, 298. doi: 10.1186/1471-2458-6-298

Commonwealth of Northern Mariana Islands Youth Tobacco Survey (YTS) Fact Sheet. (2000). Retrieved from <http://www.cdc.gov/>.

Department of Public Health Sciences, University of Hawai'i at Manoa. (2009). Needs Assessment for Micronesian Health Care in Hawai'i. Manoa, HI. Retrieved from <http://libweb.hawaii.edu/libdept/pacific/NNLM.pdf>

Edwards C, Giroux D, Okamoto SK. (2010). A review of the literature on Native Hawaiian youth and drug use: Implications for research and practice. *J Ethn Subst Abuse*, 9(3): 153–172. doi:10.1080/15332640.2010.500580

Ehlert MB, Gumataotao AP, Workman RL, Albright CL, David AM. (2006). Community leader support for tobacco control activities and policies on Guam. *Pac Health Dialog*, 13(2), 71-8.

Glanz K, Maskarinec G, and Carlin L. (2005). Ethnicity, Sense of Coherence, and Tobacco Use Among Adolescents. *Ann Behav Med*, 29(3), 192–199.

Groth-Marnat G, Leslie S, Renneker M. (1996). Tobacco Control in a traditional Fijian village: Indigenous methods of smoking cessation and relapse prevention. *Soc Sci Med*, 43(4), 473-477.

Guam State Epidemiological Outcomes Workgroup. (2012). Prevention briefs. Tamuning, Guam: Health Partners. Retrieved from <http://www.guamhealthpartners.com/products.html>

Hansen L, Whipps VR, Lyman A. (2001). The Palau Youth Tobacco Survey Report. Tobacco Use Prevention and Control Program, Palau Ministry of Health. Retrieved from <http://www.who.int/tobacco/surveillance/Palau%202001%20YTS%20-%20Final%20Report.pdf>

Hubbell FA, Luce PH, Afeaki WP, Cruz LAC, McMullin JM, Mummert A, et al. (2006). Legacy of the Pacific Islander Cancer Control Network. *Cancer*, 107(8 Suppl), 2091-8.

Hughes CK, Tsark JU, Kenui CK, Alexander GA. (2000). Cancer research studies in Native Hawaiians and Pacific Islanders. *Ann Epidemiol*, 10(8 Suppl), S49-60.

Khorram MB, Bruss JB. (1999). Smoking attributable mortality among the indigenous population of the Mariana Islands. *Pacific Health Dialog*, 6(1), 45-51.

King BA, Dube SR, Ko JY. (2011). Secondhand smoke concentrations in hospitality venues in the Pacific Basin: findings from American Samoa, Commonwealth of the Northern Mariana Islands, and Guam. *Asian Pac J Cancer Prev*, 12(11), 2881-5.

- Langly DK. (2012). Review of areca (betel) nut and tobacco use in the Pacific: A technical report. Manila, Philippines: World Health Organization, Western Pacific Region. Retrieved from http://www.wpro.who.int/tobacco/documents/201203_Betelnut/en/
- Lew R. (2004). APPEAL: fighting for social justice in tobacco control among Native Hawaiians and Pacific Islanders through leadership and capacity building. *Pacific Health Dialog*, 11(2), 239-242.
- Lippe J, Brener N, Kann L, Kinchen S, Harris WA, McManus T, Speicher N. (2008). Youth Risk Behavior Surveillance --- Pacific Island United States Territories, 2007. *MMWR*, 57(SS12), 28-56.
- Marshall M. (1991). The second fatal impact: cigarette smoking, chronic disease and the epidemiological transition in Oceania. *Soc Sci Med*, 33, 1327-43.
- Marshall M. (1997). Tobacco prevention in the Federated States of Micronesia. *Drug and Alcohol Review*, 16, 411-419.
- Mishra SI, Osann K, Luce PH. (2005). For the patient. Helping American Samoans quit smoking. *Ethnicity & Disease*, 15(2), 351-352.
- Mishra SI, Osann K, Luce PH. (2005). Prevalence and predictors of smoking behavior among Samoans in three geographical locations. *Ethn Dis*, 15, 305-315.
- Moy KL, Sallis JF, Trinidad DR, Ice CL, McEligot AJ. 2012. Health behaviors of Native Hawaiian and Pacific Islander adults in California. *Asia Pac J Public Health* 24(6), 961-969. doi:10.1177/1010539511408068
- Nguyen V, Sadler GR, Shi M, Gilpin EA, Cruz LA, Blas LA, Blas TL, Acfalle RM, Acfalle BA. (2003). Cancer risk factor assessment among Chamorro women. *J Cancer Educ* 18(2), 100-106.
- Oakley E, Demaine L, Warnakulasuriya S. (2005). Areca (betel) nut chewing habit among high-school children in the Commonwealth of the Northern Mariana Islands (Micronesia). *Bulletin of the World Health Organization*, 83(9), 656-660.
- Palafox NA, Ou AC, Haberle H, Chen TH. (2001). Quantifying tobacco related health care expenditures in the Republic of the Marshall Islands: a case study in determining health costs in developing U.S. associated island nations. *Asian American and Pacific Islander Journal of Health*, 9(1), 74-80.
- Paulino YC, Novotny R, Miller MJ, & Murphy SP. (2011). Areca (betel) nut chewing practices in Micronesian populations. *Hawaii Journal of Public Health*, 3(1), 19-29.
- Pobutsky AM, Neri EI. (2012). Betel nut chewing in Hawai'i: Is it becoming a public health problem? Historical and Socio-Cultural Considerations. *Hawaii J Med Public Health*, 71(1), 23-26.

- Spigner C, Gran-O'Donnell S. (2001). Establishing baseline information on cigarette smoking behavior from ethnic-specific groups of Asian American and Pacific Islander youth in Seattle, Washington, 1996-1998. *Asian American and Pacific Islander Journal of Health*, 9(1), 34-9.
- Tanjasiri SP, Lew R, Kuratani DG, Wong M, Fu L. (2011). Using Photovoice to assess and promote environmental approaches to tobacco control in AAPI communities. *Health Promot Pract*, 12(5), 654-665.
- Utah Department of Health, Office of Health Disparities. (2011). Utah Pacific Islanders. Salt Lake City, UT: Office of Health Disparities Reduction. Retrieved from <http://health.utah.gov/disparities/data/PacificIslanderReport2011.pdf>
- Voorhees CC, Ye C, Carter-Pokras O, MacPherson L, Kanamori M, Zhang G, Chen L, Fiedler R. (2011). Peers, tobacco advertising, and secondhand smoke exposure influences smoking initiation in diverse adolescents. *American Journal of Health Promotion*, 25(3), e1-e11.
- Wong M, Klinge RS, Price RK. (2004). Alcohol, tobacco, and other drug use among Asian American and Pacific Islander Adolescents in California and Hawaii. *Addictive Behaviors*, 29, 127-141.
- Workman RL. (2001). Tobacco use among Pacific Islanders: risk-behavior surveys and data sets for the study of smoking behavior on Guam. *Asian American and Pacific Islander Journal of Health*, 9(1), 15-24.
- Wu PL, Sadler GR, Nguyen V, Shi M, Cruz LA, Blas FG, et al. (2004). Cancer risk factor assessment among Chamorro men in San Diego. *J Cancer Educ*, 19(2), 111-6.
- Yang F, Cheng WJ, Ho MH, Pook H. (2013). Psychosocial correlates of cigarette smoking among Asian American and Pacific Islander adolescents. *Addictive Behaviors*, 38(4), 1890-1893.
- Ysaol J, Chilton JI, Callaghan P. (1996). A survey of betel nut chewing in Palau. *ISLA J Micronesia Stud*, 4, 244-255.

South Asian Americans

- Banerjee SC, Ostroff JS, Bari S, D'Agostino TA, Khera M, Acharya S, Gany F. (2013). Gutka and tambaku paan use among South Asian immigrants: A focus group study. *J Immigr Minor Health*, [Epub ahead of print]
- Bhattacharya G. (1998). Drug use among Asian-Indian adolescents: Identifying protective/risk factors. *Adolescence*, 33(129), 169-184.

- Blank M, Deshpande L, Balster RL. (2008). Availability and characteristics of betel products in the U.S. *J Psychoactive Drugs*, 40(3), 309-313.
- Changrani J, Gany F, Cruz G, Kerr R, Katz R. (2006). Paan and gutka use in the United States: A pilot study in Bangladeshi and Indian-Gujarati immigrants in New York City. *J Immigr Refug Stud*, 4(1): 99-110.
- Changrani J, Gany F. (2005). Paan and gutka in the United States: an emerging threat. *J Immigr Health*, 7(2): 103-8.
- Delnevo CD, Steinberg MB, Hudson SV, Ulpe R, DiPaola RS. (2011). Epidemiology of cigarette and smokeless tobacco use among South Asian immigrants in the northeastern United States. *Journal of Oncology*, 2011, 8 pages.
- Glenn BA, Surani Z, Chawla N, & Bastani R. (2009). Tobacco use among South Asians: results of a community-university collaborative study. *Ethnicity & Health*, 14(2): 131-145.
- Islam N, Kwon SC, Ahsan H, Senie RT. (2005). New York AANCART: Using participatory research to address the health needs of South Asian and Korean Americans in New York City. *Cancer Supplement*, 104(12), 2931-2936.
- Ivey SL, Mehta KM, Fyr CL, Kanaya AM. (2006). Prevalence and correlates of cardiovascular risk factors in South Asians: population-based data from two California surveys. *Ethn Dis*, 16(4), 886-893.
- Ivey SL, Patel S, Kalra P, Greenlund K, Srinivasan S, & Grewal D. (2004). Cardiovascular health among Asian Indians (CHAI): a community research project. *J Interprof Care*, 18(4): 391-402.
- Katsuyama, RM. (2004). Report on the Asian American Youth Against Tobacco (AAYAT) Youth Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Katsuyama, RM. (2005). Report on the Asian American Youth Against Tobacco (AAYAT) Adult Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Li S, Kwon SC, Weerasinghe I, Rey MJ, Trinh-Shevrin C. (2013). Smoking among Asian Americans: Acculturation and gender in the context of tobacco control policies in New York City. *Health Promot Pract*, [Epub ahead of print]
- McCarthy WJ, Divan H, Shah D, Maxwell A, Freed B, Bastani R, Bernaards CA, Surani Z. (2005). California Asian Indian Tobacco Survey—2004. California Department of Health Services.
- Mukherjea A, Modayil MV. (2013). Culturally Specific Tobacco Use and South Asians in the United States: A Review of the Literature and Promising Strategies for Intervention. *Health Promot Pract*, [Epub ahead of print]

Mukherjea A, Modayil MV. (2013). Exclusion of US studies examining social contexts of South Asian tobacco use hampers comprehensive intervention strategies. *Public Health*, 127(1):99-100. doi: 10.1016/j.puhe.2012.10.015

Mukherjea A, Morgan PA, Snowden LR, Ling PM & Ivey SL. (2012). Social and cultural influences on tobacco-related health disparities among South Asians in the USA. *Tobacco Control*, 21, 422-428.

Sandhu, Ritem. (2012). From an insider's perspective: Culturally and linguistically appropriate intervention for tobacco use among ethnic communities. (Unpublished masters thesis). San Francisco State University, San Francisco, California.

Tang H, Shimizu R, Chen M. (2005). English language proficiency and smoking prevalence among California's Asian Americans. *Cancer*, 104(12 Suppl), 2982-8.

Tong EK, Nguyen T, Vittinghoff E, Pérez-Stable EJ. (2009). Light and intermittent smoking among California's Asian Americans. *Nicotine & Tobacco Research*, 11(2), 197-202.

Tong EK, Nguyen TT, Vittinghoff E, Pérez-Stable EJ. (2008). Smoking behaviors among immigrant Asian Americans: Rules for Smoke-Free Homes. *American Journal of Preventive Medicine*, 35(1), 64-67.

Southeast Asian Americans

Asian Pacific Tobacco-Free Coalition of Minnesota, Blue Cross and Blue Shield of Minnesota, Minnesota Partnership for Action Against Tobacco, Southeast Asian Refugee Community Home. (2006). Tobacco Use in Minnesota: Perspectives from Cambodian, Hmong, Laotian, and Vietnamese Communities. Retrieved from http://www.preventionminnesota.com/objects/pdfs/SEAsian_FullReport_Final2.pdf

Battle RS, Lee JP, Antin TM. (2010). Knowledge of tobacco control policies among US Southeast Asians. *J Immigr Minor Health*, 12(2), 215-20.

Blue Cross and Blue Shield of Minnesota, ClearWay Minnesota, Asian Pacific Tobacco-Free Coalition of Minnesota, & Southeast Asian Refugee Community Home. (2009). Tobacco use in Minnesota: A quantitative survey of Cambodian, Hmong, Lao and Vietnamese community members. Retrieved from http://www.preventionminnesota.com/objects/pdfs/SEA_FullReport_FINAL11.03.09.pdf

Burgess D, Fu SS, Joseph AM, Hatsukami DK, Solomon J, Van Ryn M. (2008). Understanding smoking and cessation among Hmong smokers. *Journal of Health Care for the Poor and Underserved*, 19(2), 442-451.

- Centers for Disease Control and Prevention. (1992). Cigarette smoking among Chinese, Vietnamese, and Hispanics—California, 1989-1991. *MMWR*, 41(20), 362-367.
- Centers for Disease Control and Prevention. (1992). Cigarette smoking among Southeast Asian immigrants—Washington State, 1989. *MMWR*, 41(45), 854-855, 861.
- Chan NL, Thompson B, Taylor VM, Yasui Y, Harris JR, Tu SP, et al. (2007). Smoking prevalence, knowledge, and attitudes among a population of Vietnamese American men. *Nicotine & Tobacco Research*, 9(3), 475-484.
- Chan NL, Yasui Y, Thompson B, Taylor VM, Tu SP, Do H, Harris JR, Jackson JC. (2007). Secondhand smoke in the home and Pap testing among Vietnamese American women. *Asian Pac J Cancer Prev*, 8(2), 178-82.
- Chen MS Jr., Guthrie R, Moeschberger M, Wewers ME, Anderson J, Kuun P, Nguyen H. (1993). Lessons learned and baseline data from initiating smoking cessation research with Southeast Asian adults. *Asian American and Pacific Islander Journal of Health*, 1(2), 194-214.
- Constantine ML, Rockwood TH, Schillo BA, Alesci N, Foldes SS, Phan T, Chhith Y, Saul JE. (2010). Exploring the relationship between acculturation and smoking behavior within four Southeast Asian communities of Minnesota. *Nicotine & Tobacco Research*, 12(7), 715-23, doi:10.1093/ntr/ntq070
- Duong DA, Bohannon AS, & Ross MC. (2001). A descriptive study of hypertension in Vietnamese Americans. *Journal of Community Health Nursing*, 18, 1-11.
- Friis RH, Forouzesh M, Chhim HS, Monga S, Sze D. (2006). Sociocultural determinants of tobacco use among Cambodian Americans. *Health Educ Res*, 21(3), 355-365.
- Friis RH, Garrido Ortega C, Safer AM, Wankie C, Griego PA, Forouzesh M, Trefflich K, Kuoch K. (2012). Socioepidemiology of cigarette smoking among Cambodian Americans in Long Beach, California. *Journal of Immigrant and Minority Health*, 14(2), 272-280.
- Fu SS, Burgess D, van Ryn M, Hatsukami DK, Solomon J, Joseph AM. (2007). Views on smoking cessation methods in ethnic minority communities: A qualitative investigation. *Preventive Medicine*, 44(3), 235-240.
- Jenkins CNH, McPhee SJ, Ha NT, Nam TV, Chen A. (1995). Cigarette smoking among Vietnamese immigrants in California. *American Journal of Health Promotion*, 9(4), 254-256.
- Jenkins CNH, McPhee SJ, Le A, Pham GQ, Ha NT, Stewart S. (1997). The effectiveness of a media-led intervention to reduce smoking among Vietnamese-American men. *American Journal of Public Health*, 87(6), 1031-1034.

- Kaplan CP, Nguyen TT, Weinberg V. (2008). Longitudinal study of smoking progression in Chinese and Vietnamese American adolescents. *Asian Pacific J Cancer Prev*, 9, 335-342.
- Katsuyama, RM. (2004). Report on the Asian American Youth Against Tobacco (AAYAT) Youth Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Katsuyama, RM. (2005). Report on the Asian American Youth Against Tobacco (AAYAT) Adult Tobacco Survey. Retrieved from <http://www.aayat.org/report.html>
- Kim SS, Nguyen HL, Le TH. (2012). Culture and smoking among Vietnamese Americans in Central Massachusetts. *J Transcult Nurs*, 23(2):151-8. doi: 10.1177/1043659611434060
- Lafferty CK, Heaney CA, Chen MS Jr. (1999). Assessing decisional balance for smoking cessation among Southeast Asian males in the US. *Health Education Research: Theory & Practice*, 14, 139-46.
- Lai KQ, McPhee SJ, Jenkins C, Wong C. (2000). Applying the Quit & Win contest model in the Vietnamese community in Santa Clara County. *Tobacco Control*, 9 (Suppl 2), ii56-ii59.
- Lee JP, Battle RS, Lipton R, Soller B. (2010). 'Smoking': use of cigarettes, cigars and blunts among Southeast Asian American youth and young adults. *Health Education Research*, 25(1), 83-96. doi: 10.1093/her/cyp066
- Lee JP, Lipperman-Kreda S, Saephan S, Kirkpatrick S. (2013). Tobacco environment for Southeast Asian American youth: Results from a participatory research project. *J Ethn Subst Abuse*, 12(1), 30-50.
- Levin B, Nachampassach S, Xiong R. (1988). Cigarette smoking and the Laotian refugee. *Migrant World*, 16(4), 33-5.
- Li S, Delva J. (2012). Social capital and smoking among Asian American men: an exploratory study. *Am J Public Health*, 102(Suppl 2): S212-S221.
- Liao Y, Tsoh JY, Chen R, Foo MA, Garvin CC, Grigg-Saito D, Liang S, McPhee S, Nguyen TT, Tran JH, Giles WH. (2010). Decreases in smoking prevalence in Asian communities served by the Racial and Ethnic Approaches to Community Health (REACH) project. *American Journal of Public Health*, 100(5), 853-60. doi: 10.2105/AJPH.2009.176834
- Ma GX, Fang CY, Tan Y, Feeley RM. (2003). Perceptions of risks of smoking among Asian Americans. *Prev Med*, 37(4), 349-355.
- Ma GX, Shive S, Tan Y, Toubbeh J. (2002). Prevalence and predictors of tobacco use among Asian Americans in the Delaware Valley region. *American Journal of Public Health*, 92(6), 1013-1020.

- Ma GX, Shive SE, Tan Y, Feeley RM. (2004). The impact of acculturation on smoking in Asian American homes. *J Health Care Poor Underserved, 15*(2), 267-80.
- Ma GX, Shive SE, Tan Y, Toubbeh JI, Fang CY, Edwards RL. (2005). Tobacco use, secondhand smoke exposure and their related knowledge, attitudes and behaviors among Asian Americans. *Addict Behav, 30*(4), 725-40.
- Ma GX, Shive SE, Toubbeh J, Tan Y, and Zhao S. (2003). Social influences and smoking behaviors among four Asian American subgroups. *Californian Journal of Health Promotion 1*(3), 123-134.
- Ma GX, Tan Y, Fang CY, Toubbeh JI, Shive SE. (2005). Knowledge, attitudes and behavior regarding secondhand smoke among Asian Americans. *Prev Med, 41*(2), 446-53.
- Ma GX, Tan Y, Feeley RM, Thomas P. (2002). Perceived risks of certain types of cancer and heart disease among Asian American smokers and non-smokers. *J Community Health, 27*(4), 233-246.
- Ma GX, Tan Y, Toubbeh JI, Su X, Shive SE, Lan Y. (2004). Acculturation and smoking behavior in Asian-American populations. *Health Educ Res, 19*(6), 615-25.
- Maxwell AE, Crespi CM, Alano RE, Sudan M, Bastani R. (2012). Health risk behaviors among five Asian American subgroups in California: identifying intervention priorities. *J Immigr Minor Health, 14*(5), 890-894. doi: 10.1007/s10903-011-9552-8
- McPhee SJ, Jenkins CNH, Wong C, Fordham D, Ky QL, Bird JA, Moskowitz JM. (1995). Smoking cessation intervention among Vietnamese Americans: A controlled trial. *Tobacco Control, 4*(Sup 1), S16-S24.
- Moeschberger M, Anderson J, Kuo Y-F, Chen MS Jr., Wewers ME, Guthrie R. (1997). Multivariate profile of smoking in Southeast Asian men: A biochemically verified analysis-multivariate smoking profile. *Prev Med, 26*, 53-8.
- Pickwell SM, Schimelpfening S, Palinkas L. (1994). 'Betelmania' - Betel quid chewing by Cambodian women in the United States and its potential health effects. *West J Med, 160*, 326-330.
- Rahman MM, Luong NT, Divan HA, Jessor C, Golz SD, Thirumalai K, Reedy A, Olivas GS. (2005). Prevalence and predictors of smoking behavior among Vietnamese men living in California. *Nicotine Tob Res, 7*(1), 103-109.
- Rooney BL, Choudhary R, Bliss A. (2009). Social determinants of smoking among Hmong Americans residing in Wisconsin. *WMJ, 108*(9), 439-46.

- Shigaki, Alison. (2008). Preferences for smoking cessation resources and support among Chinese and Vietnamese current and former smokers. (Unpublished masters thesis). University of Washington, Seattle, Washington.
- Spigner C, Gran-O'Donnell S. (2001). Establishing baseline information on cigarette smoking behavior from ethnic-specific groups of Asian American and Pacific Islander youth in Seattle, Washington, 1996-1998. *Asian American and Pacific Islander Journal of Health*, 9(1), 34-9.
- Spigner C, Shigaki A, Tu S-P. (2005). Perceptions of Asian American men about tobacco cigarette consumption: A social learning theory framework. *J Immigr Health*, 7(4), 293-303.
- Spigner C, Yip MP, Huang B, Tu SP. (2001). Chinese and Vietnamese adult male smokers' perspectives regarding facilitators of tobacco cessation behavior. *Asian Pacific Journal of Cancer Prevention*, 8(3), 429-35.
- Tang H, Shimizu R, Chen M. (2005). English language proficiency and smoking prevalence among California's Asian Americans. *Cancer*, 104(12 Suppl), 2982-8.
- Tanjasiri SP, Lew R, Kuratani DG, Wong M, Fu L. (2011). Using Photovoice to assess and promote environmental approaches to tobacco control in AAPI communities. *Health Promot Pract*, 12(5), 654-665.
- Tong E, Gildengorin G, Nguyen T, Tsoh J, Wong C, McPhee SJ. (2009). California Vietnamese Adult Tobacco Use Survey: Executive summary. *University of California, San Francisco*.
- Tong EK, Gildengorin G, Nguyen T, Tsoh J, Modayil M, Wong C, McPhee SJ. (2010). Smoking prevalence and factors associated with smoking status among Vietnamese in California. *Nicotine & Tobacco Research*, 12(6), 613-621.
- Tong EK, Nguyen T, Vittinghoff E, Pérez-Stable EJ. (2009). Light and intermittent smoking among California's Asian Americans. *Nicotine & Tobacco Research*, 11(2), 197-202.
- Tong EK, Nguyen TT, Vittinghoff E, Pérez-Stable EJ. (2008). Smoking behaviors among immigrant Asian Americans: Rules for smoke-free homes. *American Journal of Preventive Medicine*, 35(1), 64-67.
- Tong EK, Tang H, Chen MS, McPhee SJ. (2011). Provider smoking cessation advice among California Asian-American smokers. *Asian Journal of Health Promotion*, 25(5 Supplement), S70-S74.
- Tsoh JY, Tong EK, Gildengorin G, Nguyen TT, Modayil MV, Wong C, McPhee SJ. (2011). Individual and family factors associated with intention to quit among male Vietnamese American smokers: Implications for intervention development. *Addictive Behaviors*, 36(4), 294-301.

- Weiss JW, Garbanati JA, Tanjasiri SP, Xie B, Palmer PH. (2006). Effects of family functioning and self-image on adolescent smoking initiation among Asian-American subgroups. *J Adolesc Health, 39*(2), 221-8.
- Wewers ME, Ahijevych KL, Dhatt RK, Guthrie RM, Kuun P, Mitchell L, Moeschberger ML, Chen MS Jr. (2000). Cotinine levels in Southeast Asian smokers. *Nicotine & Tobacco Research, 2*(1), 85-91.
- Wewers ME, Dhatt RK, Moeschberger ML, Guthrie RM, Kuun P, Chen MS. (1995). Misclassification of smoking status among Southeast Asian adult immigrants. *Am J Respir Crit Care Med, 152*, 1917-1921.
- Wiecha JM, Lee V, Hodgkins J. (1998). Patterns of smoking, risk factors for smoking, and smoking cessation among Vietnamese men in Massachusetts. *Tobacco Control, 7*, 27-34.
- Wiecha JM. (1996). Differences in patterns of tobacco use in Vietnamese, African-American, Hispanic, and Caucasian adolescents in Worcester, Massachusetts. *American Journal of Preventive Medicine, 12*(1), 29-37.
- Xu Y, Ross M, Ryan R, Wang R. (2005). Cancer risk factors of Vietnamese Americans in rural South Alabama. *Journal of Nursing Scholarship, 37*, 237-244.
- Yee BW, Nguyen DT. (1987). Correlates of drug use and abuse among Indochinese refugees: mental health implications. *J Psychoactive Drugs, 19*(1), 77-83.
- Zhu SH, Anderson CM, Johnson CE, Tedeschi G, Roeseler A. (2000). A centralized telephone service for tobacco cessation: the California experience. *Tobacco Control, 9*(Suppl II), ii48-ii55.
- Zhu SH, Cummins SE, Wong S, Gamst AC, Tedeschi GJ, Reyes-Nocon J. (2012). The effects of multilingual telephone quitline for Asian smokers: A randomized controlled trial. *J Natl Cancer Inst 104*(4), 299-310.
- Zhu SH, Wong S, Stevens C, Nakashima D, Gamst A. (2010). Use of a smokers' quitline by Asian language speakers: results from 15 years of operation in California. *American Journal of Public Health, 100*(5), 846-52. doi: 10.2105/AJPH.2009.168385